



PRODUCT GUIDE

GLOVES & PROTECTIVE CLOTHING



MAJESTIC
RELIABLE IN SAFETY



The President's Choice

At Majestic, our goal is to keep you safely on the job. Our selection of clothing, gloves and boots offer you the very best in protective wear. We partner with only high caliber distributors dedicated to excellent customer service.

Throughout this catalog you will find styles identified with our President's Choice symbol. The symbol denotes exceptional items as selected by company president Hugo J. Kruijger.

As a descendent of a glove-making family he is well schooled in both the old-world craftsmanship of work gloves and the latest advancements in protective wear.

After studying the entire collection from the perspective of end users like you, Mr. Kruijger selected items for their proven durability, excellent performance-to-cost ratio or because customers have told us time and again they are exceptionally useful on the job.

Look for the President's Choice in each category.

Quality Is No Accident...

and neither is customer satisfaction. At Majestic we are dedicated to maintaining our reputation for product quality, new product innovation and customer satisfaction. The goals of the Majestic quality management system are grounded in the concepts of continual improvement, exceeding customer expectations and striving to improve product availability and delivery. In fact, many of our manufacturing facilities are certified to current ISO Standards insuring consistent, reliable product quality. With these established goals, Majestic earned ISO 9001:2008 certification in August 2010. This prestigious certificate is awarded only to companies that have implemented and maintained a quality management system that meets the rigorous standards of the International Organization for Standardization (ISO).



We also recognize the importance of providing a complete product line to meet a wide variety of customer requirements. In addition, we are committed to developing new glove and clothing products to meet changing workplace conditions and demands. Majestic offers one of the most complete product lines available and new items are constantly added in response to customer needs and the changing marketplace. Our high visibility clothing line has grown immensely, as we have recognized the need for comfortable protective clothing. Our cut resistant line of gloves has also grown, and now incorporates some new exciting features.

Be sure to visit the "Personalization" section to learn how we can personalize gloves and clothing with a logo, name or other full color artwork...all done in-house.

We especially invite you to review this catalog to discover how Majestic could become a part of your hand protection or protective apparel program. If you would like additional information or a product sample, please contact your Majestic representative or our customer service department.

Majestic is a proud member of:



Official licensee of:



Proud Distributor of:



CONTENTS

Drivers	8	High Visibility	76
Grain Cowhide	8	Leather and Palm Dipped.....	76
Deerskin, Elkskin, Gemsbok	10	Mechanics Style	78
Pigskin, Goatskin, Camel.....	12	Welders	80
Combination, Split Leather.....	14	General Purpose.....	80
Ball and Tape, Adjustable Strap Fasteners	16	TIG Welding.....	82
Mechanics Styles	18	Small Sizes	84
Leather, Deer, Goat.....	18	Respiratory	86
Leather, Cowhide, Pigskin.....	20	Protective Clothing	88
ARMOR SKIN™, General Purpose.....	22	Disposable.....	88
ARMOR SKIN™, Special Purpose	24	High Visibility—Bombers and Parkas.....	90
Leather Palm	26	High Visibility—Rainwear.....	92
Heavyweight.....	26	High Visibility—T-Shirts, Polo Shirts, Sweatshirts, Fleece.....	94
Regular Duty, Split.....	28	High Visibility—Vests: Class 2	96
Regular Duty, Split, Gauntlets.....	30	High Visibility—Vests: Class 3, Accessories.....	98
Winter Lined	32	Visibility—Site Safety	100
Drivers.....	32	High Visibility—Sioen	102
Drivers & Mechanic Style	34	Rainwear—Polyurethane Sioen / M-Wear	104
Mechanics, ARMOR SKIN™	36	Rainwear	106
Work Glove, Freezer	38	McKinley.....	108
Coated and Uncoated Palms	40	McKinley, Boots.....	110
PVC	42	Welding	112
Synthetics	44	Retail / Merchandising	114
Chemical Resistant—Supported	44	Personalization	116
Chemical Resistant— Supported/Unsupported.....	46	BlazeTEX FR / Arc	120
Chemical Resistant—Disposables—Nitrile.....	48	Index by Product	122
Chemical Resistant—Disposables	50	Chemical Resistance Guide	Inside Back Cover
General Purpose, Seamless Knit, Micro Foam Nitrile, OXXA, Superdex.....	52	Majestic Glove Goes Carbon Neutral	
General Purpose, Superdex, Palm Coated Seamless Knit	54	In March 2011, Majestic Glove undertook an initiative to significantly reduce our carbon footprint. Partnering with UPS, a Carbon Offset program was developed. We at Majestic Glove are pleased to announce that from March 1, 2011, to December 31, 2011, we were able to mitigate 125.10 metric tons of CO2!	
General Purpose, Palm Coated Seamless Knit	56	It is through dedication and resourcefulness that we are able to do this, and continue to do this. You can view our achievement on our website or request a copy of our certificate from customer service.	
General Purpose, Coated, Latex, Nitrile.....	58		
Cottons / Knits	60		
Hot Mill, Double Palm, Canvas, Jersey, Chore ...	60		
String Knits / Inspection	62		
Cut Resistant	64		
Dyneema Coated.....	64		
Dyneema.....	66		
Kevlar, Spectra	68		
Composite Yarns, Kevlar Lined Gloves.....	70		
Alycore	72		
Alycore Armor Skin Series—Drivers, Leather Palm and Dipped	74		



Thank you for helping us be more carbon conscientious.

Confused About Quality?

Unfortunately there are no industry standards for leather glove quality. Many glove manufacturers offer only two or three grades of leather and are very quick to label the best they have as “A Grade.”

This may compare equally with Majestic’s B or even BC grade, creating confusion and perhaps user dissatisfaction. Majestic offers five leather grades in grain leather alone. When you take into account various thicknesses, tanning, and types of leather available (such as deer, elk, gemsbok, goat, pig or camel), the decision of which glove to purchase becomes more difficult. Consider the variety of thumb styles, hems, sewing options, fit, comfort and job application...the options and possibilities are endless. To assist in your glove buying decisions, we strongly urge sample comparison and user field evaluations. We have invested in local market hand protection professionals, trained to provide the best solution for hand protection hazards. Call Majestic or your local glove specialist to see how we can help eliminate product quality confusion and get you the samples needed to make the best decision on your glove needs.

Types of Leather

Cowhide: Most commonly used because of availability and durability.

Pig: Economical price, dries soft (depending on tanning).

Goat: High wear resistance comparatively, flexible.

Deer: High flexibility and soft, dries soft. (This is the best.)

Elk: Soft and tough, dries soft.

Gemsbok: From the deer family, soft and economical price.

Camel: High wear resistance and soft. Wear all day long without being thirsty.

*see cuts of leather for sub-classifications.

Glove Material

Leather: Excellent protection for abrasion and cuts, breathability and comfort at an economical price.

Synthetic leather (Clarino, Amara, Armor Skin): A synthetic microfiber. Excellent dexterity and high abrasion resistance.

Nitrile: A synthetic rubber with a high abrasion, cut and chemical resistance.*

Neoprene: A synthetic rubber with a high chemical and heat resistance.*

PVC (Polyvinyl Chloride): Broad range of low hazard chemical resistance, economical price.*

Vinyl (Polyvinyl Chloride): See PVC.

Latex: A natural product that provides chemical resistance, economical price.*

Polyurethane (PU): A synthetic material, high abrasion resistance, chemical-resistant, very flexible.*

Kevlar® Aramid Fiber: A man-made fiber with high cut and heat resistance.

Dyneema® / Spectra®: Synthetic fiber with high cut and abrasion resistance. Chemically inert to sanitation bleaches and high PH laundering.

Wool: Natural fiber, excellent insulator.

Cotton: Natural fiber, economical price. Used for basic abrasion protection to insulation, depending on construction.

Polyester: A synthetic material mainly used in seamless gloves or as a blend to strengthen cotton knit materials.

Nylon: A synthetic, high tensile strength fiber, mainly used in lightweight coated, knit inspection and low lint applications gloves.

*Consult chemical manufacturers MSDS (Material Safety Data Sheet) for hand protection requirements.

The King of Sizes

As a leader in drivers gloves, we continuously strive to improve our line for both industrial and consumer drivers gloves. Our gloves are available in an extensive range of sizes—seven adult sizes in some styles, up to eight in others. We are also proud to offer new and innovative ideas in hand protection. Our goal is to continue to offer you safer, better, more comfortable and longer-wearing gloves.

What size do you need? Measure around the knuckles and palm, excluding the thumb. The measurement in inches is your numeric size. The chart below represents the industry accepted bias tape color for the size identification of drivers gloves.

■ XXS (size 6)	■ XS (size 7)	■ S (size 8)
■ M (size 9)	■ L (size 10)	■ XL (size 11)
■ XXL (size 12)	■ XXXL (size 13)	

Cuts of Leather

Grain: The outer, smooth surface of the hide, provides a superior wear resistance compared to split leather.

Split: The bottom surface of the hide, high tensile strength.

Split leather is sub-divided into:

Side: The best part of the split leather, the back, also called butt leather.

Shoulder: From the shoulder part of the split leather. More hairy than side, this is the second best quality of split leather. Often sub-divided into the type of selection, such as select shoulder, regular shoulder, etc.

Belly: From the sides of the hide, typically thinner and more fibrous. This is the most economical portion of the split leather.

Some Things You Should Know About Synthetics

Supported Coated Glove: A cloth glove that has been fully dipped or palm dipped into a liquid such as latex, PVC, nitrile, polyurethane, etc.

Impregnated: The plastic (PVC) does not merely coat the material, but actually penetrates the textile. Impregnated gloves are typically not liquid-resistant and are used when improved grip and dexterity or low level cut protection is required.

Unsupported Glove: A glove made by dipping a ceramic form into liquid latex or plastic. A glove is created when the material dries and is removed from the form.

Interlock Lining: The inner glove is made of lightweight cotton interlock knit fabric.

Jersey Lined: The glove is lined with brushed cotton fabric.

Flock Lined: An unsupported glove term that describes the inside of the glove as dusted with fine cotton fibers for moisture absorption and easy on-off.

Powdered: An unsupported glove term that describes the inside of the glove as dusted with corn starch for moisture absorption and easy on-off. **Permeation:** The measurement of breakthrough time it takes a specific chemical to be detected on the other side of the glove material according to ANSI/ISEA 105-2000 or EN374. **Permeation** is measured on a non-degraded glove. **Rate** is the amount of chemical passing through in a six-hour period.

Degradation: The degradation of the physical properties of a glove by exposing it to a specific chemical.


Glove Patterns and Styles

Ambi Pattern: Usually found in knit or lightweight cloth gloves only. The thumb and fingers are integral to the palm, allowing either glove to be worn on either hand. A major advantage to this style is that wearers can switch gloves after they have worn through on the original palm surfaces and in effect, start all over as if they had a new pair, effectively providing the user two pairs for the price of one. In the glove industry, this style is usually called reversible, but we feel Ambi is more appropriate and less misleading.

Clute Pattern: Recognized by the three parallel seams on the back of the glove. Seamless palm, with finger seams to the front of the hand.

Gunn Pattern: Recognized by the seam at the base of the two middle fingers. Seamless back, but finger seams are to the back of the fingers for comfort.

Anatomy of a Work Glove



Cuff Styles



Knit Wrist



Band Top



Safety Cuff



Slip On



Gauntlet Cuff

A “Thumbnail” Sketch of Glove Styles



Keystone Thumb:

By far the most freedom of movement and most comfortable, this style is preferred by most safety and health engineers because it is the most ergonomically correct work glove.



Wing Thumb:

Designed for open handed work (pushing, pulling, lifting, etc.). Work accomplished by the open palm does not expose the seams to wear. This style allows more freedom of movement and is in general more comfortable than the straight thumb.




Straight Thumb:

Designed for closed fist work (shoveling, prying, sweeping, etc.). When the fist is closed, the seams are out of the wear area (this is primarily a durability advantage).

What length of glove do I need?

The length of a glove is the measurement from the tip of the middle finger to the end of the cuff.



What's My Size?

Measure the circumference of your hand in inches between thumb and knuckle. Look up your size below:



Size	XXS	XS	S	M	L	XL	XXL	XXXL
Leather	6	7	8	9	10	11	12	13
Synthetic	5	6	7	8	9	10	11	12
Hand in Inches	5"-6"	6"-7"	7"-8"	8"-9"	9"-10"	10"-11"	11"-12"	12"-13"

We test our products before you do! Just another reason why we say, “Quality Is No Accident.”


New Glove Testing Capabilities

In just the last few years, the glove industry has become much more than just leather drivers, work gloves and a few styles of synthetics or thin mils. Today, glove companies must offer their customers a wider range of products in categories that did not exist a few years ago. Due to new materials, many of these categories, such as cut resistance and palm dipped knits, have become more technical and glove testing and rating systems for these new styles have become commonplace. In order to provide our customers with the best possible products, Majestic has invested in the devices used to test both cut and abrasion resistance, tensile strength, coefficient of friction and vertical flame. We do not operate a certified laboratory, but we are able to perform quality testing for the products we sell and thus ensure they are the best we can offer our customers. This testing is also available to our customers who need information regarding products we don't have in our product line. Both devices meet the current testing equipment standards for ASTM (U.S.) and/or EN (Europe). We are pleased to offer this testing service to Majestic customers.

CPPT Machine

The CPPT (Cut Protection Performance Test) machine measures the cut resistance of any material by measuring the weight required to cut through the material with a blade moving 25mm (one inch). The more weight that is required to cut the material, the higher the cut resistance of that material. The gram measurement of weight yields the “Cut Resistance Level” used today to determine the effectiveness of a glove or sleeve in a work environment where cuts or lacerations are a problem.

(Test ASTM F1790-97)



How is protective clothing evaluated for cut resistance?

- In the European market, gloves are evaluated according to EN 388, the mandatory performance standard for all gloves as standardized and regulated by the CEN. The method uses a constant weight on a circular blade that is moved back and forth across a specimen by the test machine. The machine also rotates the blade against the direction that it is being moved, which intensifies the slicing action.
- In the U.S. an entirely different method was developed by ASTM, method F1790.

Before 2004, previous versions of this method called for a report of load that causes cut through in one inch (25 mm, not 20 mm). When comparing data, be certain that all of the tests were conducted according to the same edition of the standard. ASTM F 1790-97 is the older version that uses the longer cut distance and is still referenced by ANSI/ISEA to determine the performance levels of gloves.

A Word About “Cut Level Ratings”

ANSI (U.S.) and EN (European) cut resistant tests are not the same and the resulting Cut Level ratings can be easily misunderstood. For both tests a higher rating means a higher cut resistance number (1 thru 5) but it's very important to compare gloves using the same standard. An EN Cut Level 3 rating could be an ANSI Cut Level 2. Most U.S. companies currently use the EN standard as does Majestic in this Product Guide.

Abrasion Testing Machine

The Nu-Martindale abrasion testing machine precisely abrades the surface of a sample material (leather, cotton, synthetic, etc). Based upon the change in the surface of the material and the number of rubs (time) taken for the change to occur, the material's abrasion resistance can be accurately measured.

The abrasion resistance of glove material is extremely important to the life of any glove in a work environment. The longer a glove lasts, the more financial savings can be realized by the end user and the more confident a worker becomes with the hand protection products they use. Majestic routinely checks the abrasion resistance of many gloves in the product line as well as new materials being considered for its product line.

ASTM D4966-12e1 Abrasion Test



Vertical Flame Testing

Majestic will be embarking on a new venture into Flame Resistant clothing. As such, we believe that proper testing in house, allows us to be better students in the field. One method that we employ in house is the vertical flame test. With this equipment, we can test new materials, just to see if they are worth what is being claimed. The vertical flame test will tell us if we need to research further by having new material sent to a proper certification lab.

ASTM F2302-08 D6413 / D6413M

Significance and use

This test method determines the response of textiles to a standard ignition source, deriving measurement values for after flame time, afterglow time, and char length.

The vertical flame resistance, as determined by this test method, only relates to a specified flame exposure and application time.

This test method maintains the specimen in a static, draft-free, vertical position and does not involve movement except that resulting from the exposure.

Test Method D6413 has been adopted from Federal Test Standard No. 191A method 5903.1, which has been used for many years in acceptance testing.

Vertical Flame Test Equipment



EN388:2003, 6.1 Abrasion Test



Tear, Puncture, Tensile Elongation, Flexibility and Coefficient of Friction

At Majestic we are “Glove Geeks.” We love technology that allows us to go beyond the normal expectations of a glove company. We are not just a manufacturer or importer; we believe in what we do and want you to believe in us. Majestic continues to reinvest in testing equipment that lets us know what will keep you safe. Below are some images of what we can do.

Although we are not a certified laboratory, here is a list of tests that we can perform regarding tear, puncture, tensile elongation, flexibility, coefficient of friction and thread strength:

Tear Test
 EN 388:2003, 6.3
 ASTM 1938-08
 ISO 13937-4:2000

Puncture Test
 EN388:2003, 6.4
 ASTM F2878-10, F1342




Tensile Elongation Test
 ASTM D412-97
 ISO 37:2005

Flexibility Test
 ASTM D6828-02


Coefficient of Friction Test
 ASTM D1894-08
 ISO 8295:1995

Thread Strength Test
 ASTM D2256 / D2256M-10
 ASTM D5035-06

ASTM D6828-02 Flexibility Test



ASTM D412-97 Tensile Elongation Test



ASTM F2878-10, F1342 Puncture Test



EN388:2003, 6.4 Puncture Test



ASTM D1894-08 Coefficient of Friction Test





1510

Our most popular driver. Top grain A-grade cowhide leather, keystone thumb, gunn cut, Shirred back. Tough double-stitched leather hem locks side seam and prevents seam blowout. **XS-XXL**

1510G Gold A-grade cowhide with keystone thumb. **XS-XXL**

1510BA Extra heavy B-grade leather. **XS-XXL**



1510K

Top grain A-grade cowhide, keystone thumb, rolled hem, Kevlar sewn. **XS-XXXL**

1510BAK Extra heavy B-grade cowhide, keystone thumb, rolled hem, Kevlar sewn. **XS-XXXL**



2510HVO

B-grade cowhide, keystone thumb, bias tape color hem, high visibility orange fingers. **S-XXL**

DRIVERS

GRAIN COWHIDE



1510B

B-grade cowhide leather, gunn cut, keystone thumb, shirred back. Color-coded bias tape sewn hem for sizing identification. (For kids sizes, see "Small Sizes.") **XXS-XXXL**

2510 BC-grade leather. **XS-XXXL**

2510B Industrial-grade leather. **S-XXL**

2510KV BC-grade leather, Kevlar lined, Kevlar sewn. **S-XXL**



1510W

Premium A-grade grain cowhide leather, wing thumb, gunn cut, shirred back, Kevlar sewn. Color-coded bias tape sewn hem for sizing identification. **XS-XL**



2505

B-grade grain cowhide driver, straight thumb, gunn cut and color-coded bias tape hem indicating size. **S-XL**

2505B Industrial cowhide. **S-XL**



2505F

B-grade fingerless cowhide driver, straight thumb, gunn cut and color-coded bias tape hem indicating size. **S-XL**

DRIVERS

DEERSKIN, ELKSKIN, GEMSBOK



1541

A-grade grain deerskin driver with keystone thumb and leather sewn hem. Exceptionally soft and comfortable with a shirred back. (For kids sizes, see "Small Sizes.") **XS-XL**
1541B B-grade. **XS-XXL**



1539

Gemsbok driver. This is a unique leather that has the fit, feel and performance of deerskin, but at significantly less cost. This is an excellent glove for industrial applications, where a deerskin product is preferred but appearance consistency is not important. Soft grain gemsbok driver with keystone thumb, gunn cut, shirred elastic back and rolled leather hem. **XS-XL**



1547

A-grade heavyweight elkskin with a keystone thumb and shirred back. **XS-XXL**

1661 Economy elkskin driver, keystone thumb, leather hem. **XS-XXL**



1562

Top full grain medium elkskin driver, keystone thumb, seamless palm, shirred elastic back, with double sewn rolled leather hem to prevent side seam blowouts. **S-XL**

1563T Thinsulate® lined (see "Winter Lined"). **S-XL**

Thinsulate
INSULATION



1553

One of our most comfortable and stylish gloves. Top-quality black deerskin with a keystone thumb, gunn cut, shirred elastic back and rolled leather hem. **XS-XL**



1567

Top full grain B-grade medium weight elkskin driver with reverse grain back. With keystone thumb, gunn cut, shirred elastic back and rolled leather hem. **XS-XL**



1543

Top grain deerskin palm with a reversed grain back and seamless clute cut style palm. Reverse gunn cut back. Exceptionally comfortable. **XS-XL**



1564

A-grade medium weight elkskin with double palm. Gunn cut with keystone thumb, inside seam index finger, shirred back and rolled leather hem. **XS-XL**

1564D Deerskin version of the 1564 **XS-XL**

1565 Single palm elkskin. **XS-XL**



2-Ply



1549

Top grain medium elkskin, wing thumb, rolled leather hem. **S-XXL**

1549D Top grain deerskin, wing thumb, rolled leather hem. **S-XXL**



1537

Soft split deerskin, keystone thumb and double stitched leather hem for added wear. **XS-XL**

1569 Split deerskin, clute cut work glove, straight thumb with thumb strap and split deerskin cuff. **S-XL**

DRIVERS

PIGSKIN, GOATSKIN, CAMEL



1510PK

Heavier weight grain pigskin, seamless index finger, Kevlar sewn, color-coded size tag. XS-XXL



1554B

B-grade grain goatskin with straight thumb and bias tape hem. S-XXL



1556

Goatskin, straight thumb, clute style. XS-XL



1554KV

A-grade goatskin, keystone thumb, Kevlar Lined. S-XXL





1510P

Top-grain pigskin, keystone thumb, leather hem, shirred back. A fully machine washable variation of our most popular cowhide driver, the 1510. **XS-XL**

1510PB B-grade pigskin, keystone thumb, bias tape hem. **S-XL**

2510P Industrial-grade pigskin, keystone thumb, color-coded bias tape hem. **XS-XL**



1512P

Brushed heavyweight pigskin, shirred elastic back and rolled leather hem. Kevlar sewn. **XS-XL**



1510BCK

A-grade grain camel hide, keystone thumb, shirred back, leather rolled hem. **XS-XL**



1566

Double palm, gold goatskin, seamless index finger. **XS-XL**



1555

Our best selling goatskin driver. Soft leather in a rich pearl color with a keystone thumb, gunn cut, shirred back and rolled leather hem. **XS-XL**

1554K A-grade lightweight stretched leather, with a bias tape hem. **XS-XL**

1558 Heavier duty lanolin goatskin with a sewn-in knit wrist for added comfort. **XXS-L**



1554HVO/1554HVV

1554HVO A-grade goatskin, keystone thumb, color-coded bias tape hem, high visibility orange fingers. **S-XL**

1554HVV A-grade goatskin, keystone thumb, color-coded bias tape hem, high visibility yellow fingers. **S-XL**

DRIVERS COMBINATION, SPLIT LEATHER



1532

Our best combination driver. B-grade grain leather palm, split back, shirred back and sewn with Kevlar. Inside-sewn index finger for added comfort/wear. Double-stitched rolled leather hem prevents side seam blowout. All grain keystone thumb for added comfort and durability. **XS-XXL**



1533

Top grain cowhide with keystone thumb, natural split back and cloth hem. **XS-XXL**

1533GS Grain goatskin palm and cow split back. Keystone thumb, cloth hem. **XS-XXL**



1507

Split select cowhide with straight thumb, shirred back, bias tape hem and gray color. **XS-XL**

1512 Keystone thumb. **XS-XL**
(For kid's sizes, see "Small Sizes.")



1512R

Side split camel leather with a keystone thumb, shirred elastic back and double-stitched rolled leather hem. **XS-XL**

1512B Select cowhide. **XS-XL**



1532B

Combination driver B-grade cowhide leather palm with keystone thumb, gunn cut, split back, seamless index finger, shirred back. Kevlar sewn with colored bias tape hem for size identification. **XS-XXL**

1532BP Combination pigskin driver, regular thread. **S-XL**



1551

B-grade wing thumb cowhide combination driver, with full grain wrap around index finger. Gunn cut, shirred elastic back, rolled leather hem, Kevlar sewn. **S-XL**

1533B Russet split back, lap seam index finger, color-coded bias tape hem, regular thread. **XS-XXL**



2503

A-grade grain palm, straight thumb, gray split back, lap seam index finger, regular thread. **XS-XXL**



1500K

A-grade driver, cowhide palm with fabric back, wing thumb. **S-XL**



1950

Top grain cowhide, high visibility fluorescent orange poly-woven back, 3M® reflective knuckle strap. **S-XL**

Why Combination Drivers?

The protection and wear properties are where you need them. Less expensive split leather is used on the back, where the wear properties of grain leather have no added value, giving you the most glove for your buck. In the case of the 1532B, this allows us to include additional features such as Kevlar stitching and a seamless index finger at no additional cost compared to an all-grain driver.

DRIVERS

BALL AND TAPE, ADJUSTABLE STRAP FASTENERS



What is a “Ball and Tape closure,” and why is it used?

Ball and Tape closure has been around for a long time. Literally a small plastic ball attached to a strap of leather, it is used to provide a more custom fit on drivers gloves, and prevents debris from falling back into the opening of the cuff. Most drivers glove styles today offer an elastic back for easy donning and doffing. We also offer styles that have a metal tab and strap closure for the same desired level of fit. Majestic offers several styles of gloves with these features.



1550

AB-grade heavy cowhide, double palm, Kevlar sewn, with metal buckle and strap on the wrist. **XS-XL**



1509

A-grade cowhide driver with keystone thumb and color-coded bias tape hem. Tough double-stitched leather hem locks side seam, preventing seam blowout. Inside forefinger seam prevents thread blowouts. Leather wrist strap ensures the right fit. **XS-XL**



1509K

Flat index finger, lap seam, and ball-and-tape wrist strap. **XS-XL**



1509B

B-grade cowhide, straight thumb, ball-and-tape wrist strap. **S-XL**



1509BCK

A-grade camelhide, keystone thumb, with ball-and-tape wrist strap. **S-XXL**



1512RK

Split camel hide with a ball-and-tape wrist. Russet color. **S-XL**



1546T

Black deerskin with reversed back, grain palm, and Thinsulate® lining for great winter warmth. Keystone thumb, rolled leather hem, and adjustable leather strap. **XS-XL**

Thinsulate
INSULATION



1544T

Gold deerskin with reversed back, grain palm, and Thinsulate® lining for great winter warmth. Keystone thumb, rolled leather hem, and adjustable leather strap. **XS-XL**

Thinsulate
INSULATION

MECHANICS STYLES

LEATHER, DEER, GOAT



2150

The comfort and feel of deerskin in a true mechanics style glove. One of our most comfortable, best fitting gloves. Features a seamless palm, wing thumb, stretch knit back and neoprene knuckle area. Gold palm, elastic wrist and Velcro closure. **XS-XXL**. (For lined version see "Winter Lined" and for kid's gloves see "Small Sizes.")



2148

Same as 2150, except with mesh back for ventilation. **XS-XXL**



2148 / 2149
Mesh Back



2151

The comfort and feel of deerskin in a true mechanics style glove. One of our most comfortable, best fitting gloves. Features a seamless palm, wing thumb, stretch knit back and neoprene knuckle area. Black palm, elastic wrist and Velcro closure. **XS-XXL**. (For lined version see "Winter Lined.")



2149

Same as 2151, except with mesh back for ventilation. **XS-XXL**





2150DP

Grain deerskin with patched palm, thumb crotch area and fingertips for added protection and wear. Vented gussets, stretch knit back, neoprene knuckle area and Velcro wrist closure. **XS-XXL**



2153

Premium white grain goatskin palm, black stretch knit back with neoprene knuckle area and Velcro wrist closure. **XS-XXL** (For lined version see "Winter Lined" and for kid's gloves see "Small Sizes.")



2153D

Premium white grain goatskin palm, black stretch knit back with neoprene knuckle area, slip-on. **XS-XXL**



2150GR

The comfort and feel of deerskin in a true mechanics style glove. One of our most comfortable, best fitting gloves. Features a seamless palm, wing thumb, green stretch knit back and neoprene knuckle area. Elastic wrist and Velcro closure. **XS-XXL**



2140

Deersplit palm with black stretch back and Velcro wrist closure. Extraordinary comfort and fit. **XS-XXL**



Pre-Curved Design 

All Majestic mechanics gloves feature a pre-curved finger design following the natural contours of the hand. This results in a much more comfortable glove.

Quality Is No Accident.

MECHANICS STYLES

LEATHER, COWHIDE, PIGSKIN



2123

Reversed cowhide palm with padded patches for added protection. The back is a stretch knit with a sewn-in TPU (Thermoplastic Polyurethane) knuckle guard. Finger knuckles are protected with special rubber impact pads. A glove designed for heavy duty work! Velcro wrist closure. **S-XXL**



2120

Reversed cowhide grain palm with reinforced, padded palm. Black stretch knit back, neoprene knuckle and Velcro wrist closure. **S-XXL**



2154

Premium reversed grain cowhide palm, stretch knit back, neoprene knuckle area and Velcro wrist closure. **XS-XXL**





2152

Premium grain pigskin palm, blue stretch knit back with neoprene knuckle area and Velcro wrist closure. **XS-XXL**. (For lined versions see "Winter Lined" and for kid's sizes, see "Small Sizes.")

2152TW Grain pigskin palm, black stretch back with neoprene knuckle and Velcro wrist closure. Thinsulate® lined with a waterproof membrane to keep out both the cold and the wet. **XS-XXL**



Thinsulate
INSULATION



2160

Gold pigskin palm, stretch knit back, Velcro wrist closure with wear/grip patches on the palm and fingertip areas. **XS-XXL**. (For lined version see "Winter Lined.")



2152HV

Premium grain pigskin palm, high visibility orange stretch knit back with a neoprene knuckle and Velcro wrist strap. **XS-XXL**. (For lined version see "Winter Lined.")



2152D

Slip-on driver style with beige pigskin palm, shirred wrist, black stretch knit back and neoprene knuckle area. **XS-XXL**



2130R / 2130G / 2130BK / 2130BL

Gold brushed pigskin palm with a stretch knit back and Velcro wrist closure. Neoprene knuckle area. Available in four stretch knit back color options. **XS-XXL**

- 2130R Red
- 2130G Green
- 2130BK Black
- 2130BL Blue





2139BK

ARMOR SKIN™, synthetic leather, reinforced with PVC double palm, knit back, Velcro closure. **XS-XXL**



MECHANICS STYLES

ARMOR SKIN™, GENERAL PURPOSE

Why ARMOR SKIN™?

ARMOR SKIN™ was developed to keep the worker comfortable and safe. Leather goods are a commodity, and as such are subject to wild fluctuations in the market. With hide shortages worldwide, we at Majestic were driven with the task of finding “something else” out there. With ARMOR SKIN™, we found it!


ARMOR SKIN™ is the one of the toughest materials on the market—a true synthetic that can provide unmatched abrasion resistance. It is literally stronger than leather. We have measured this by taking samples of material and placing them on our in-house abrasion test machine. The results speak for themselves—we were able to develop a material that provides better abrasion resistance than cowhide and pigskin, and with a far superior fit and feel factor.

ARMOR SKIN™—More wear and abrasion resistant than leather and pound for pound the toughest synthetic glove material available.

Style options include slip-on or with a Velcro wrist strap. The black style is available unlined or with your choice of three levels of cold protection. Great fit, feel and comfort.

All styles come tagged. Available in sizes XS-XXL

Abrasion Test Results



ARMOR SKIN™ test results proved that it is more wear and abrasion resistant than both pigskin and cowhide.



2137R / 2137BL / 2137BK

ARMOR SKIN™ synthetic leather palm, knit back, Velcro wrist.

- 2137BK** Black. XS-XXL
- 2137BL** Blue. XS-XXL
- 2137R** Red. XS-XXL



2137HY / 2137HO

ARMOR SKIN™ synthetic leather palm, knit back, Velcro wrist. XS-XXL

- 2137HO** High visibility orange. XS-XXL
- 2137HY** High visibility yellow. XS-XXL



2136R / 2136BL / 2136BK

ARMOR SKIN™ synthetic leather palm, knit back, slip-on.

- 2136R** Red. XS-XXL
- 2136BL** Blue. XS-XXL
- 2136BK** Black. XS-XXL



2136C1

ARMOR SKIN™ synthetic leather palm, knit back, slip-on, digital camouflage. XS-XXL



2136HO / 2136HY

ARMOR SKIN™ synthetic leather palm, knit back, slip-on.

- 2136HO** High visibility orange. XS-XXL
- 2136HY** High visibility yellow. XS-XXL



MECHANICS STYLES

ARMOR SKIN™, SPECIAL PURPOSE



2123HVY

Knucklehead heavyweight ARMOR SKIN™ synthetic leather, PVC reinforced patch palm, high visibility yellow knit back, TPU knuckle, reinforced finger guards, Velcro wrist. **S-XXXL**

2123HYK Kevlar lined. **S-XXXL**

KEVLAR



2126BK

ARMOR SKIN™ synthetic leather X30, armor grip silicone palm, knit back, black. **XS-XXXL**



2121

ARMOR SKIN™ synthetic leather palm with reinforced silicon palm padding. Full-fingered for exceptional grip and excellent dexterity. Ideal for working with hand tools. Black stretch knit back, neoprene knuckle and Velcro wrist closure. **S-XXL**



2122

ARMOR SKIN™ synthetic leather palm with reinforced silicon palm padding. Thumb, index and middle fingertips are removed for better tool dexterity. Ideal for framers. Exceptional grip. Black stretch knit back, neoprene knuckle and Velcro wrist closure. **S-XXL**



Pre-Curved

All Majestic mechanics gloves feature a pre-curved finger design following the natural contours of the hand. This results in a much more comfortable glove. Quality Is No Accident.





21242HO

ARMOR SKIN™ Knucklehead X10, synthetic leather palm with full finger and backhand TPR protection, ARMOR SKIN™ high visibility orange. S-XXXL

21243HO Waterproof. S-XXL

21245HO Kevlar lined. S-XXXL

21247HO Thinsulate® lined and waterproof. S-XXXL



21242HY

ARMOR SKIN™ Knucklehead X10, synthetic leather palm with full finger and backhand TPR protection, ARMOR SKIN™ high visibility yellow. S-XXXL

21243HY Waterproof. S-XXL

21245HY Kevlar lined. S-XXXL

21247HY Thinsulate® lined and waterproof. S-XXXL

A2S42Y Lined with Alycore, no palm pads.

Cut Level 5 S-XXXL

(See page 72 for more details on Alycore)



21252HO

ARMOR SKIN™ Knucklehead Omega 1, 50% thicker synthetic leather palm with full finger and backhand TPR protection, ARMOR SKIN™ high visibility orange. S-XXXL



Grip: Double Wishbone PVC Palm

All styles feature a double wishbone PVC palm that is triple sewn, increasing the grip strength. The Majestic Knucklehead X10 has been tested and has a 21% increase in static coefficient of friction and 35% increase of kinetic COF over the Kong.

No Velcro: Elastic Wrist

To decrease the chances of a snag or pulling of the wrist closure the Velcro closure has been replaced with an elastic wrist.

Cut Resistance: Alycore and Kevlar provide incredible cut resistance. The 21245 is rated a CE Cut Level 4 and the A2S42Y achieves ANSI 5 cut resistance!

Winterlined: The 21247 is lined with Thinsulate to provide a barrier from water, wind, and cold weather.

Water and Hydrocarbon proof: Like the 21247, the 21243 has a breathable water proof bladder to provide comfort while protecting against water.



2127HY

ARMOR SKIN™ synthetic leather X20, silicone grip on index and middle tip, reinforced double stitched palm, Neoprene stretch back, reinforced finger guards. Neoprene wrist and Velcro closure. XS-XXXL



2163

Extremely tough extrication gloves for emergency rescue work. The form fit design is contoured, making this an excellent fitting glove with fantastic dexterity. Kevlar loaded Armortex® reinforced palm patches, stainless steel reinforced padded knuckles and Cordura® dynamic stretch back. Elastic gusseted cuff to keep debris out. XS-XXL

2163NL No logo for personalization.

2164 Extended cuff. XS-XXL





LEATHER PALM HEAVYWEIGHT

You Don't Create a Premium Glove by Cutting Corners

When you have a tough job, you need the 1800 series gloves. The "Pit Bull" part of the series (items 1800-1849) is made with a heavy M weight (3.5-4 oz.) side split, double chrome tanned leather, special choice materials, and is sewn with Kevlar thread. By comparison, a good "regular duty" glove is generally made from 3-oz. weight leather (20% lighter). The Pit Bulls are in a class by themselves, the gloves most workers prefer who require the greatest degree of hand protection. In the balance of our 1800 series, you will find the toughest work gloves in the United States! All 1850 series gloves are made from HM weight (4-4.5 oz.) side split leather, specially selected and purchased for our purposes, and then sewn with Kevlar thread.

What is it? **KEVLAR**

Kevlar thread is used on all our 1800 series gloves because it is pound-for-pound five times stronger than steel. Its superior strength and heat resistance make Kevlar the standard for premium work gloves and welders gloves. In our continuous quest to use only the best materials for premium gloves, Kevlar is the only choice.

Leather Weights Explained

Wt.	Oz.	Decimal Inches		Fractional Inches		mm (millimeters)	
		From	To	From	To	From	To
LL	2 - 2.5	.031	.039	1/32	5/128	0.8	1.0
L	2.5 - 3	.039	.047	5/128	3/64	1.0	1.2
LM	3 - 3.5	.047	.055	3/64	7/128	1.2	1.4
M	3.5 - 4	.055	.063	7/128	1/16	1.4	1.6
HM	4 - 4.5	.063	.070	1/16	9/128	1.6	1.8
H	4.5 - 5	.070	.078	9/128	5/64	1.8	2.0
HH	5 - 5.5	.078	.086	5/64	11/128	2.0	2.2
HHH	5.5 - 6	.086	.094	11/128	3/32	2.2	2.4



K5

Grain cowhide leather palm and index finger, wing thumb, split back and rubberized safety cuff. **S-XXL**

K5G Gauntlet cuff. **S-XL**

K5GS Split leather gauntlet cuff. **S-XL**

K5U Unlined palm, safety cuff. **S-XL**

K5GSR Reverse grain cowhide palm, split back, split cuff, Kevlar sewn. **S-XL**



K3GT

B-grade cowhide leather palm, canvas back, full-grain leather index finger and fingertips, knuckle strap, and heel pull. Rubberized gauntlet cuff is color-coded for sizing identification. **XS-XXL**

K3 Safety cuff. **XS-XXL**



1800

The "Pit Bull" of our leather palm work gloves. Side split cowhide palm with a wing thumb, knuckle strap and shirred back. Kevlar sewn for added strength. **XS-XXL** (All Kevlar sewn)

1801 Gauntlet cuff. **S-XL**

1824 Knit wrist. **XS-XL**



1822

"Pit Bull" with full cowhide leather palm and leather back, standard safety cuff. **XL only.** (All Kevlar sewn)

1820 3/4 leather back. **S-XL**

1821 Gauntlet cuff, 3/4 leather back. **XL only**

1823 Full leather back with gauntlet cuff.

XL only.



1800DP

With two-ply cowhide palm and fingers, this double tough work glove is built for durability and long wear. Wing thumb, knuckle strap and white canvas back. Kevlar sewn. **S-XL**

1801DP Gauntlet cuff. **S-XL**

1830 Internal double palm, fingers with 3/4

leather back. Straight thumb. **S-XL**

1831 Internal double palm, fingers with full leather palm and back. Straight thumb. **S-XL**



K4

All-grain cowhide leather (palm and back), safety cuff. **S-XL**

K4G Gauntlet cuff. **S-XL**



4501CDP

Select shoulder split cowhide, double palm with a full leather index finger, leather fingertips, knuckle strap and heel pull. Wing thumb, rubberized safety cuff and color-coded bias tape hem. **S-XL**

4502CDP Regular split shoulder leather. **S-XL**

4502DPG Regular split shoulder leather, gauntlet cuff. **L-XL**

4503CDP Regular split shoulder leather, launderable safety cuff. **L-XL**



2501CDP / 2501CDY

2501CDP Premium split cowhide leather with orange canvas, internal double palm with a full leather index finger, leather fingertips, knuckle strap and heel pull. Wing thumb, rubberized safety cuff and color-coded bias tape hem. **M-XL**

2501CDY High visibility yellow back. **M-XL**





Safety Cuff Quick Quality Line-Up

	Economy split	Regular split	Select shoulder	Premium split	Side						
	1	2	3	4	5	6	7	8	9	10	
1501A	—	—	—	—	—	—	—	—	—	—	
2501	—	—	—	—	—	—	—	—	—	—	
2500	—	—	—	—	—	—	—	—	—	—	L1,01
2501CBL	—	—	—	—	—	—	—	—	—	—	
2501C	—	—	—	—	—	—	—	—	—	—	X2
2501CY	—	—	—	—	—	—	—	—	—	—	C1,X1
1954	—	—	—	—	—	—	—	—	—	—	C1,X4
2501Y	—	—	—	—	—	—	—	—	—	—	L1,X3
2501CB	—	—	—	—	—	—	—	—	—	—	L3,X1
2501CK	—	—	—	—	—	—	—	—	—	—	T1,X2
4501CBL	—	—	—	—	—	—	—	—	—	—	
4501Y	—	—	—	—	—	—	—	—	—	—	L1,X1
4501C	—	—	—	—	—	—	—	—	—	—	X7
4500	—	—	—	—	—	—	—	—	—	—	
3501C	—	—	—	—	—	—	—	—	—	—	C1
3500R	—	—	—	—	—	—	—	—	—	—	
3500	—	—	—	—	—	—	—	—	—	—	C1
3502E	—	—	—	—	—	—	—	—	—	—	C2,01
3502C	—	—	—	—	—	—	—	—	—	—	C2
2502P	—	—	—	—	—	—	—	—	—	—	C2,L1,03
3501E	—	—	—	—	—	—	—	—	—	—	C2,X5,01



1501A

Premium Side Split

The cornerstone of the Majestic work glove selection, this side split cowhide palm glove features a full leather index finger, knuckle strap and rubberized safety cuff. Shirred back, color-coded bias tape hem for size identification. **S-XL**

2501 Side split leather. **S-XL**



2501C

Premium Split Leather

Premium split cowhide leather with a rubberized safety cuff, wing thumb, shirred back. **L only**.

2501CBL Blue striped textile. **L only**.



1954

High visibility, cowhide leather palm with fluorescent orange poly-woven back and 3M® reflective knuckle strap. **S-XL**

1954T High visibility, cowhide leather palm with fluorescent orange poly-woven back and 3M® reflective knuckle strap. Thinsulate® lined. **S-XL**

ANSI 107 Thinsulate
Made with ANSI 107 (High Visibility Standard) approved materials. INSULATION

LEATHER PALM

REGULAR DUTY, SPLIT



4501C

Select Shoulder

Select shoulder, cowhide split leather with a full leather index finger and fingertips, with knuckle strap, heel pull and rubberized safety cuff. **S-XL**

4501CBL Blue striped. **S-XL**



3501C

Regular Split Leather

Split cowhide palm, full leather index finger and fingertips, with knuckle strap and heel pull. Features a heavy PE (polyethylene) safety cuff. Launderable. **S-XL**

4500 Rubberized safety cuff. **S-XL**



3502C

Economy Split Leather

Economy split, cowhide leather with pasted cuff. **L only.**

3500 Plasticized safety cuff. **L only.**

3500R Rubberized safety cuff. **L only.**



1524

Clute Cut Knit Wrist

Regular split cowhide leather palm with a full cloth back. Clute cut, knit wrist. **S, L**



2502P

Pig split palm, fingertips and knuckle strap.

Wing thumb, shirred wrist and heel pull. **S, L**



3502E

Economy Split Leather, Patch Palm

Economy split cowhide with patch palm, full leather index finger, knuckle strap, pasted cuff. Blue striped fabric back. **L only.**

3501E Denim back. **L only.**



LEATHER PALM

REGULAR DUTY, SPLIT, GAUNTLETS



2501Y

Premium Split Leather, Special Colors

Very select, shoulder split, cowhide leather palm with full-leather index finger and fingertips. Knuckle strap, heel pull, wing thumb, shirred back and rubberized safety cuff. **L only.**

4501Y Regular select shoulder split brown leather with yellow canvas back and cuff. **L only.**



2501CY

Solid yellow back, gray cowhide leather and PE (polyethylene) safety cuff, launderable. **S-XXL**



2500

Double layer, split cowhide pieced palm with wing thumb, knuckle strap and canvas safety cuff. **L only.**



1801

The "Pit Bull" of our leather palm work gloves. Side split cowhide palm with a wing thumb, knuckle strap and shirred back. Kevlar sewn for added strength. Gauntlet cuff. **S-XL** (All Kevlar sewn)

1801DP Double palm gauntlet cuff. **S-XL**



1501G

Premium side split cowhide, full leather index finger and fingertips, with knuckle strap and heel pull. Rubberized gauntlet cuff. **S-XL**



2501G

Select split shoulder cowhide leather. **M-L, XXL**

3501G Regular split leather. **L only.**



1522

Full leather back, regular shoulder split cowhide leather. **S-XL**



1524G

Regular split, cowhide leather, clute cut, and gauntlet cuff. **L only.**



4502DPG

Regular split shoulder, cowhide leather, gauntlet cuff. **L-XL**



Fleece
Brushed Cotton.
Perfect for
moderate cold weather.



**Polyester
Fiber
Batting**
Hollow fiber insulation



Pile
Synthetic
Wool



Foam
Synthetic
Sponge



Thinsulate®
Micro fiber
insulation



Heatlok™
A blend of hollow
and micro fiber
creating a very effective and economic
insulation material

Choosing the Inner Liner

Each type of winter glove liner has unique properties and understanding the differences will make your glove choice much easier. The purpose of all liners is to trap dead air between your hand and the outside cold. This air acts as a thermal buffer, keeping the warmth inside the glove. The choice of liners is dependent upon the glove, outside temperature and the fit and feel desired from the glove. Many gloves are lined with **3M® Thinsulate®** Insulation, which is microscopic fibers engineered to trap dead air with more efficiency, providing more warmth with less bulk.



1542T

Our best winter deerskin driver with keystone thumb, shirred back and Thinsulate® lining for added warmth. Rolled leather cuff for longer wear. **S-XL**

1542 Pile lined. **S-XL**

1540T Grain gemsbok, Thinsulate® lining. **S-XL**

1540 Grain gemsbok, pile lining. **S-XL**

1662 AB-grade lightweight grain elk skin, red fleece lining. **XS-XXL**

Thinsulate
INSULATION



1563T

Premium A-grade elkskin with Thinsulate® lining. The glove features a seamless palm construction for added comfort, keystone thumb, shirred back and double sewn rolled leather hem. **S-XL**

Thinsulate
INSULATION



1546T

Black deerskin with reversed back, grain palm and Thinsulate® lining for great winter warmth. Keystone thumb, rolled leather hem and adjustable leather strap. **XS-XL**

1544T Gold color. **XS-XL**

Thinsulate
INSULATION

WINTER LINED DRIVERS



1511T

A-grade premium leather with Thinsulate® insulation lining. **XS-XL**



1511 Lined with warm and flexible pile, this top grain cowhide driver features a keystone thumb, shirred back and a double-stitched rolled leather hem. **S-XXL**



1511P

Tough grain pigskin, red fleece lined. Keystone thumb, shirred back, gunn cut, rolled leather hem. **S-XXL**

1511PB Fleece lined B-grade pigskin, keystone thumb, color-coded bias tape hem. **S-XXL**

1511PT Thinsulate® lining. **S-XL**



1660

Tough grain goatskin with red fleece lining for flexibility and warmth. Keystone thumb, gunn cut, shirred back and color-coded bias tape hem for size identification. **XS-XXL**

1655T Leather hem, Thinsulate® lining. **XS-XL**



2511

Red fleece lined top grain cowhide drivers glove, keystone thumb. **S-XXXL**

1506 Fleece lined, with a straight thumb. **XS-XXL** (For kid's sizes, see "Small Sizes.")



1535

Combination winter driver featuring A-grade cow grain leather palm, side split russet color back, red fleece lined with bias tape hem. **XS-XXL**

1534 Combination winter driver featuring A-grade cow grain leather palm, side split russet color back, pile lining, keystone thumb, shirred back and rolled leather hem. **S-XL**



1513T

Side split cowhide with a double-stitched rolled leather hem and keystone thumb, with Thinsulate® insulation lining for winter warmth. **S-XXL**



1513 Pile lining. **S-XXL**

2513 Select shoulder split leather, pile lined. **S-XXL**

2513T Select shoulder leather **S-XXL**

1508B Beige split cowhide, red fleece lining, straight thumb and cloth hem. **S-XL**

1508F Russet split cowhide, red fleece lining, straight thumb and cloth hem. **S-XL**



1663 / 1664 / 1665

Winter Deer

Combination of soft deer split palm and non-pilling fleece with Heatlok® insulation for added warmth. Excellent form fitting contoured pattern with a modified wing thumb.

1663 Black deer split palm with gray fleece back. **XS-XXL**

1664 Gold deer split palm with black fleece back. **XS-XXL**

1665 Black deer split palm with black fleece back. **XS-XXL**

1666 Kids styles only - assorted colors.

(For kid's sizes, see "Small Sizes.")



1572

Driver style grain pigskin with a bolton thumb, knuckle strap, stretch knit back, shirred wrist and fleece liner for added warmth. **S-XL**



WINTER LINED
DRIVERS & MECHANIC STYLE



1511BLK

Black grain camel leather with pile lining. **S-XL**



1548BLK

Split deerskin with a comfortable keystone thumb, shirred back and lined with Thinsulate® insulation. **XS-XL**

1548 Brown deerskin. **XS-XL**



1951

High visibility in a day-and-night winter driver! All grain palm driver, Thinsulate® lined, with ANSI 107 high visibility fluorescent orange back and a 3M® sewn-in strip of reflective tape. Keystone thumb, shirred back and rolled leather hem. **XS-XXL**





2150H

Extremely comfortable winter lined grain deerskin. Keep warm with windproof Heatlok® insulation to protect the back of the hand. Stretch knit back and Velcro cuff closure. XS-XXL



2151H Black grain deerskin version. XS-XXL



2152T

Beige, premium pigskin palm, blue stretch knit back with a neoprene knuckle and Velcro wrist strap. Thinsulate® lined for winter warmth. XS-XXL



2152THV

Grain pigskin palm, high visibility orange stretch back with neoprene knuckle and Velcro wrist closure. Thinsulate® lined. XS-XXL



2153T

Grain goatskin palm, black stretch back with neoprene knuckle and Velcro wrist closure. Thinsulate® lined. XS-XXL




2152TW

Grain pigskin palm, black stretch back with neoprene knuckle and Velcro wrist closure. Thinsulate® lined with a waterproof membrane to keep out the cold and the wet. XS-XXL



2160T

Gold pigskin palm, knit back, Velcro wrist closure and wear/grip patches on the palm and fingertips. Thinsulate® lined. XS-XXL



Pre-Curved All Majestic mechanics gloves feature a pre-curved finger design following the natural contours of the hand. This results in a much more comfortable glove. Quality Is No Accident.



Fleece
Brushed Cotton.
Perfect for
moderate cold weather.



**Polyester
Fiber
Batting**
Hollow fiber insulation



Pile
Synthetic
Wool



Foam
Synthetic
Sponge



Thinsulate®
Micro fiber
insulation



Heatlok™
A blend of hollow
and micro fiber
creating a very effective and economic
insulation material

Choosing the Inner Liner

Each type of winter glove liner has unique properties and understanding the differences will make your glove choice much easier. The purpose of all liners is to trap dead air between your hand and the outside cold. This air acts as a thermal buffer, keeping the warmth inside the glove. The choice of liners is dependent upon the glove, outside temperature and the fit and feel desired from the glove. Many gloves are lined with **3M® Thinsulate®** Insulation, which is microscopic fibers engineered to trap dead air with more efficiency, providing more warmth with less bulk.



21247HY

ARMOR SKIN™ Knucklehead X10, synthetic leather palm with full finger and backhand TPR protection, ARMOR SKIN™ high visibility yellow, Thinsulate® lined and waterproof. S-XXXL



21247HO

ARMOR SKIN™ Knucklehead X10, synthetic leather palm with full finger and backhand TPR protection, ARMOR SKIN™ high visibility orange, Thinsulate® lined and waterproof. S-XXXL



2180

Synthetic leather palm with anti-slip patches for added grip. Kevlar® and steel reinforced knuckle area for greater protection and durability. Waterproof. XS-XXL



WINTER LINED
MECHANICS, ARMOR SKIN™



2136BKT

ARMOR SKIN™ synthetic leather palm, knit back, slip-on, black, Thinsulate® lined. XS-XXL. Also available in unlined, see page 23.

2136BKF Thermal fleece lined. XS-XXL

2136BKH Heatlok lined. XS-XXL



2137BKT

ARMOR SKIN™ synthetic leather palm, knit back, Velcro wrist, black, Thinsulate® lined. XS-XXL

2137BKF Thermal fleece lined. XS-XXL

2137BKH Heatlok lined. XS-XXL



2139BKH

ARMOR SKIN™ synthetic leather, reinforced with PVC double palm, knit back, Velcro closure, Heatlok lined. XS-XXL



2145BKH

ARMOR SKIN™ synthetic leather palm, knit back, Velcro wrist, waterproof, black, silver reflective piping, Heatlok lined. XS-XXL



2145HYH

ARMOR SKIN™ synthetic leather palm, knit back, Velcro wrist, waterproof, high visibility yellow, silver reflective piping, Heatlok lined. XS-XXL



2145HOH

ARMOR SKIN™ synthetic leather palm, knit back, Velcro wrist, waterproof, high visibility orange, silver reflective piping, Heatlok lined. XS-XXL





1520 / 1521

A tough, grain pigskin palm work glove with a warm polyester lining, knuckle strap and safety cuff. **XS-XXL**

1521 Knit wrist. **XS-XXL**



1954T

High visibility leather palm with fluorescent orange poly-woven back and 3M® reflective knuckle strap. Thinsulate® lined. **S-XL**

Thinsulate
INSULATION



1636 / 1640

1636 Freezer mitten with extra-thick Thinsulate® insulation lining, knit wrist. **S-XL**

1640 Freezer glove with extra-thick Thinsulate® insulation lining, sewn-in knit wrist. **S-XXL**

Thinsulate
INSULATION



USG-52

The USG-52 is a warm and comfortable grain cowhide mitten with a knit wrist and pile lining. Ambidextrous style. **L only.**

1635 Split cowhide mitten with warm pile lining. **L-XL**

WINTER LINED WORK GLOVE, FREEZER



1600W

A waterproof winter lined work glove! Blue premium split cowhide leather palm with pile lining and an internal bladder to make the glove waterproof. **M-XXL**

1600 Pile lining, no bladder. **M-XXL**

1600TW Thinsulate® lined with bladder. **M-XXL**

Thinsulate
INSULATION



1602

Pile lined, split cowhide, black and yellow. No bladder. **M-XL**



1604

Pile lined, split cowhide, green and yellow. No bladder. **M-XL**



2200

Ski style winter glove made with black nylon shell. Contoured formfitting pattern with warm Thinsulate® lining. Inside pocket for disposable hand warmer. Inner fleece cuff enclosing wrist, and SureGrip palm reinforcement for added grip and longer wear. Internal bladder to make the glove waterproof. **M-XL**



Thinsulate
INSULATION



1610

Traditional split cowhide leather palm work glove with a warm fleece lining. **L only.**



1612

Grain pigskin palm with a split back, knuckle strap, safety cuff and fleece lining. **S-XL**



WINTER LINED COATED AND UNCOATED PALMS



3422P

Fingerless Thinsulate® lined, two-ply rag wool with sewn-on leather palm for added wear and grip. Knit in hood attaches with Velcro to glove back when open. When needed the hood can cover the fingertips for extraordinary comfort and warmth. **XS, M-XL** (For kid's sizes, see "Small Sizes.")

3422 Fingerless, with hood, without leather palm. Thinsulate® lined. **L only.**



3425

Ragg Wool One-Ply Medium Weight

Unlined single-ply ragg wool glove provides warmth at moderately low temperatures. Good choice as heavyweight liner. **S, L**

3423 Full-fingered plain palm. Thinsulate® lined. **M-XL**

3426 Full finger, PVC dots on palm. **S, L**



3424

Ragg wool two-ply heavyweight, fingerless, without hood or leather patch palm. **L only.**



3427

Ragg wool two-ply heavyweight, fingerless. **S, L**

3428 Fingerless, PVC dots on palm. **S, L**



3396HO / 3396HY / 3396BK

3396HO Winter/freezer wear heavyweight napped terry, high visibility orange knit with foam latex dipped palm. **S-XL**

3396HON Same as 3396HO but no Penguin label, for customization. **S-XL**

3396HY Winter/freezer wear heavyweight napped terry, high visibility yellow knit with foam latex dipped palm. **S-XL**

3396HYN Same as 3396HY but no Penguin label, for customization. **S-XL**

3396BK Winter/freezer wear heavyweight napped terry, black knit with foam latex dipped palm. **S-XL**

Also available in summer versions.



3430

Our best glove liner made of Dupont Thermalite® hollow core fiber—wicks moisture from skin surface for improved warmth. The best there is, anywhere. **One size fits all.**

3430B Blue. **One size fits all.**



34-1570

Dyneema knit, latex coated palm, winter lined, **Cut level 5**. **S-XXL**



3388

Winter version of the popular Atlas style. Napped inside for warmth with rubber coated wrinkled palm for added grip and protection from moisture. **S-XL**

3388BK Heavy napped terry, winter weight latex palm dipped string knit. Knit wrist. **S-XL**





3703

Brown double-coated PVC coating on 13-gauge seamless knit shell with removable thermal lining. Special compound remains soft even in extreme low temperatures. Ergonomic design. Rough finish for excellent wet grip, 12" long. **M-XL**



3703 Shown with removable attached liner.

WINTER LINED

PVC



3371C

PVC caramel color work glove, foam lined, with safety cuff. **L only.**



3370

PVC fluorescent orange, foam lined, with smooth finish for added wet grip. Knit wrist cuff. **L only.**

3371 Safety cuff. **L only.**



3370G

PVC fluorescent orange, foam lined, heavy grit finish, with knit wrist. **L only.**

3371G Safety cuff. **L only.**



3374 / 3375

3374 PVC fluorescent orange, foam lined, with sand finish for added wet grip, 12" long. **L only.**

3375 Mitten, smooth finish, 12" gauntlet. **L only.**



SYNTHETICS

CHEMICAL RESISTANT—SUPPORTED



3702A

High Performance PVC

Atlas. Exceptional wet-grip capability in an extremely pliable double-dipped 12" PVC glove. Ideal for the fishing industry, gardening, and water or petrochemical applications. Interlock liner and ergonomic form provide unusual comfort. **S-XXL**

3706 Clear vinyl sleeve attached to cuff, 25" length. **S-XL**



3704A

High Performance PVC

Atlas. Designed for oil-related applications. This triple-dipped PVC glove is ergonomically formed with interlock liner for added comfort. The finish provides excellent grip for oil or other petroleum products. 12" long. **S-XXL**



3362G

PVC / Nitrile Blend

Fully coated PVC and nitrile blend with an uneven, raised finish. Provides exceptional grip. Interlock lined for comfort. 12" long. **L only.**

3360G Knit wrist. **L only.**

3364G Gauntlet, 14". **L only.**



3363Y

Yellow PVC

PVC dipped with a smooth finish and interlock lined for comfort. This glove provides excellent protection from a variety of chemicals, oils and greases. 12" long. **L only.**

3359Y Yellow, knit wrist, open back. **L only**

3361Y Yellow, knit wrist, fully coated. **L only**



3361 / 3363

Smooth Finish Black PVC

Smooth finish PVC for general purpose industrial applications such as chemical-based or petroleum-based product handling. **L only.**

Interlock Lining

- 3357** Slip-on, 11".
- 3359** Knit wrist, open back.
- 3361** Knit wrist, fully dipped.
- 3363** Gauntlet, 12".
- 3365** Gauntlet, 14".
- 3367** Gauntlet, 18".

Jersey Lining

- 3361J** Knit wrist, fully dipped.
- 3357J** Slip-on, 10".
- 3363J** Gauntlet, 12".
- 3365J** Gauntlet, 14".



3364

Sand Finish Double Dipped Black PVC. **L only.**

Interlock Lining

- 3358** Gauntlet, 11".
- 3360** Knit wrist, fully dipped.
- 3362** Gauntlet, 12".
- 3364** Gauntlet, 14".

Jersey Lining

- 3360J** Knit wrist.
- 3362J** Gauntlet, 12".
- 3364J** Gauntlet, 14".



3364R

Rough Finish Black PVC. **L only.**

Interlock Lining

- 3360R** Knit wrist, fully dipped.
- 3357R** Slip-on, 10".
- 3362R** Gauntlet, 12".
- 3364R** Gauntlet, 14".

Jersey Lining

- 3357RJ** Slip-on, 10".
- 3360RJ** Knit wrist, fully dipped.
- 3362RJ** Gauntlet, 12".
- 3364RJ** Gauntlet, 14".



3363CJ

Caramel PVC

Caramel, jersey 12" gauntlet. **M-L**

3361CJ Caramel, jersey lined, knit wrist. **L only.** (See page 42 for winter lined caramel versions.)



Smooth: The inside glove is "singed" by flames before dipping to remove small lint balls which occur naturally on all knitted cloth. The idea that smooth plastic is also slick is much more perception than reality. Actually, smooth plastic gloves provide an excellent grip for most objects.



Sand: After the initial dipping, sand-like polymers are applied to the coated glove either by spraying or re-dipping before the original coat hardens.



Rough: The inside glove is unsinged so that the surface has a "pebbled" appearance.



Uneven Raised: As on the 3362G, the surface of the glove is chemically treated to cause an overall matte finish with irregular etched grooves.



Embossed / Textured: Unsupported glove terms. The form used to dip into the molten latex or plastic is etched with a grooved pattern so that when the glove is turned, the surface of the palm has a pattern.



Grit: As on the 3370G, PVC chunks, larger than sand, are sprayed onto the dipped glove while plastic is still molten.

SYNTHETICS

CHEMICAL RESISTANT—SUPPORTED / UNSUPPORTED



Actifresh

All Majestic interlock or jersey lined nitrile and neoprene dipped gloves are treated with Actifresh, an antibacterial agent which promotes hygiene and freshness. It retards odors and eliminates germs.



4001

Neoprene smooth finish, interlock lined, knit wrist. **L only.**

4002 12" length. **L only.**



4003

Neoprene rib finish, interlock lined, 14" length. **L only.**



4072

Flock lined, 18 mil neoprene with 13" cuff. **S-XXL**

4073 31 mil. **S-XL**



4005

Neoprene provides resistance to a wide range of hazardous chemicals, such as alcohols, oils, caustics and inks, with the added benefit of good abrasion resistance. Contoured fit, double-dipped sand finish, interlock lined, 12" length. Treated with Actifresh to retard bacterial growth and odors and to promote freshness. **S-XL**

4006 14" gauntlet. **L only.**



4004

Neoprene double-dipped sand finish, interlock lined, 12" length. **S-XL**



3300IF / 3352 / 3350

Latex

3300IF Unlined canner's style, 19 mil, natural color. **S-XL**

3350 Flock lined, household 16 mil, yellow. **S-XL**

3351 Household, one pair retail poly pack. **S-XL**

3352 Unlined, 19 mil, blue. **S-XL**

3353 Flock lined, 20 mil, blue. **S-XL**



3355

Heavy duty latex, flock lined, 30 mil, orange. **S-XL**



4055

Neoprene/Latex Blend

Neoprene over latex provides added chemical resistance with the comfort of a latex glove.

Palm and fingers are diamond embossed for better grip. Flock lined, 28 mil, 12" length. **S-XXL**



3218 / 3395

3218 Nitrile coated on a seamless liner. This 12" long glove has a micro grip surface for excellent grip in wet and slippery applications. Coating is not completely liquid proof, and not recommended for chemical protection. **XS-XL**

3395 Rubber dipped. **XS-XL**



3245

Nitrile

15 mil nitrile, flock lined for added chemical protection, snag, puncture and abrasion resistance. All styles are 12" long except where noted. **S-XXL**

3240 Unlined, 11 mil nitrile. **S-XXL**

3247 Unlined, 15 mil nitrile. **S-XXL**

3248 Flock lined, 18 mil nitrile. **S-XXL**

3249 Unlined, 22 mil nitrile, 18" long. **M-XL**

Diamond Grip Pattern:

The form used to dip into the molten latex or plastic is etched with a grooved pattern so that when the glove is turned, the surface of the palm has a diamond pattern.



SYNTHETICS

CHEMICAL RESISTANT—DISPOSABLES—NITRILE



NITRILE



3273

Industrial grade, powder-free. 4 mil. 100/dispenser. **XS-XXL**

PF



3274

Industrial grade. 4 mil. 100/dispenser. **S-XXL**

P



3280

5-6 mil medical grade nitrile. Powder-free, textured fingertips for added grip, 9" long with rolled cuff. 100/dispenser. **XS-XXL**

PF

Chemical Permeation and Degradation

It is recommended that you perform your own evaluation based on actual working conditions. Most products chemical manufacturers market are a compound or blend of different chemicals.


The first step in selecting any glove is to consult the chemical manufacturers MSDS (Material Safety Data Sheet) for hand protection requirements.

See www.MajesticGlove.com, product literature, for permeation and degradation details. Permeation and degradation charts are intended as a guide only.

LEGEND


- P** Powdered
- PF** Powder Free
- LC** Long Cuff

DISPENSERS



CSR-500

Metal wire dispenser holder, white plastic coated to prevent rust, two dispensers per box. Mounting hardware included. Measures 10.5" L x 4" W x 5.5" H



CSR-550

Like CSR-500 but for longer cuff style disposables. Measures 13.5" L x 4.5" W x 5.5" H



3275

Nitrile Industrial 5-6 mil

Premium industrial grade disposable 5-6 mil nitrile glove with textured fingertips for added grip. Lightly powdered. 9" long, rolled cuff. 100/dispenser. **XS-XXL**



3275SB

10-pack dispenser. **XS-XXL**



3276

Premium industrial grade, powder-free. 5-6 mil. 100/dispenser. **XS-XXL**



3276BK

Premium industrial grade, powder-free, black. 5-6 mil. 100/dispenser. **XS-XXL**



3277

8 mil powder-free. **XS-XXL**



3278

Nitrile Industrial 8 mil

8 mil premium industrial grade nitrile, textured fingertips for added grip. Lightly powdered, 9" long with rolled cuff. 50/dispenser. **XS-XXL**



3279

8 mil nitrile with extended 11½" cuff. **S-XL**



3282

Nitrile Industrial 12 Mil

12 mil, lightly powdered, 50 ct. box. **S-XXL**



FFDC/USDA Requirements

All Majestic thin mil products are in compliance with FFDC (Federal Food Drug and Cosmetic Act) and USDA (United States Department of Agriculture) for use in federally inspected meat and poultry plants.

SYNTHETICS

CHEMICAL RESISTANT—DISPOSABLES



LATEX LIGHTLY POWDERED



3413

Latex Industrial

Industrial grade disposable 5 mil latex features textured fingertips for improved grip. Lightly powdered. 100/dispenser. **S-XL**



3414

Premium Latex Industrial

Premium industrial grade disposable 5 mil latex features textured fingertips for improved grip. Lightly powdered. 100/dispenser. **S-XL**



3416

Latex Medical Exam

Medical exam grade latex, lightly powdered. **S-XL**



LATEX POWDER FREE



3415

Medical exam grade, low protein, less than 50µg/g (micro grams of latex protein per gm of latex), neoprene lined. Powder-free for easy donning, fully textured. 100/dispenser. **S-XL**



3417

Premium industrial, powder-free. **S-XL**



3417B

Blue premium industrial grade, powder-free. **S-XL**



LATEX 15 MIL VINYL

Build a Bucket

Do you know about Majestic Glove's "Build a Bucket" program? This is a great program for areas that use a high volume of disposable gloves and need something more than just a box that is easily destroyed or lost. Buckets are refillable, and are great for areas where a higher degree of sanitary storage is needed. Dairy farms, food plants and other processors can use this product. Note the part numbers: item numbers ending in "BG" are refills for our buckets. Our buckets are high grade and are FDA, NMFC and UFC approved and are easily reused. Ask your Majestic Glove representative about "Build a Bucket."

Nitrile

- 3275BKT** 5-6 mil nitrile 500 ct.
- 3275BG** 5-6 mil nitrile 250 ct.
- 3276BKT** 5-6 mil nitrile PF 500 ct.
- 3276BG** 5-6 mil nitrile PF 250 ct.
- 3277BKT** 8 mil nitrile PF 500 ct.
- 3277BG** 8 mil nitrile PF 250 ct.
- 3278BKT** 8 mil nitrile 500 ct.
- 3278BG** 8 mil nitrile 250 ct.
- 3282BKT** 12 mil nitrile 500 ct.
- 3282BG** 12 mil nitrile 250 ct.

Latex

- 3413BKT** Latex 500 ct.
- 3413BG** Latex 250 ct.
- 3418BKT** 15 mil latex 500 ct.
- 3418BG** 15 mil latex 250 ct.



3418

911 EMS

EMS 15 mil latex exam grade, 12" long, powder-free, textured fingertips, blue. 50/dispenser. **S-XXL**



3411

Vinyl

Industrial grade disposable 5 mil vinyl, lightly powdered. 100/dispenser. **S-XL**



3411PF

Powder-free. 100/dispenser. **S-XL**



3411B

Blue color, lightly powdered. 100/dispenser. **S-XL**



SYNTHETICS

GENERAL PURPOSE, SEAMLESS KNIT, MICRO FOAM NITRILE, OXXA, SUPERDEX



51-290

Superior micro foam nitrile palm on nylon shell. **S-XXL**



51-295

Superior micro foam nitrile palm, dotted palm on nylon shell. **S-XXL**



Coefficient of Friction

These gloves represent some of the finest technology available today. Majestic is on the cutting edge of glove technology and is embracing efficiency of friction, or COF. Technically, friction is the force that resists the relative motion of solid surfaces, fluid layers, and/or material elements when they move against each other. In simpler terms, the less friction there is, the more slippery the surface. When you consider holding a tool that has a slippery surface, you would need to grip it tightly. If you wore a glove that has high anti-slip properties, or high COF, you would use less strength to perform the task, and by using less strength you limit stress and fatigue on your body.

Key Terms:

Static Friction—The force needed to move an object

Kinetic Friction—The force needed to keep the object in motion



3237

Two color $\frac{3}{4}$ micro foam dip, reversed diamond grip equates to superior slip resistance, over closed cell full dip nitrile on nylon shell. **S-XXL**





3228 / 3228K / 3228F

3228 Micro foam nitrile palm, on nylon shell. XS-XXL

3228K ¾ dip micro foam nitrile palm, on nylon shell. XS-XXL

3228F Full dip micro foam nitrile palm, on nylon shell. XS-XXL



3228HVY

Micro foam nitrile palm, on high visibility yellow nylon shell. XS-XXL



3228D / 3228KD

3228D Micro foam nitrile palm, on nylon shell. Dotted for superior grip. XS-XXL

3228KD ¾ dip micro foam nitrile palm, on nylon shell. Dotted for superior grip. XS-XXL



3229 / 3229HVY

3229 Heavyweight foam nitrile palm, nylon liner. XS-XXL

3229HVY Heavyweight foam nitrile palm, high visibility yellow nylon liner. XS-XXL



SYNTHETICS

GENERAL PURPOSE, SUPERDEX, PALM COATED SEAMLESS KNIT



3368

Lightweight, 13-gauge palm dipped knit. Hydropellent material on the palm area repels water yet maintains excellent grip. Good wear resistance and excellent tactility. **XS-XL**



3369

Lightweight, 13-gauge palm and knuckle dipped knit. Hydropellent material on the palm area repels water yet maintains excellent grip. Good wear resistance and excellent tactility. **XS-XL**



3368HVY

Lightweight, 13-gauge palm dipped knit. Hydropellent material on the palm area repels water yet maintains excellent grip. Good wear resistance and excellent tactility. Palm and liner are both in high visibility yellow. Printed safety message on back: "Watch Pinch Points." **XS-XL**



3378

Lightweight nylon liner, latex palm dipped for added grip and durability. Excellent alternative to heavier latex dipped styles where tactility is a concern. **XS-XL**



3377

Lightweight nylon liner with a dipped latex palm. The latex extends to cover the full finger and three fourths of the back for added protection. Excellent option to heavier latex dipped styles. Excellent comfort durability. **XS-XL**

3377NL Same as 3377, but with no logo. Designed for personalization. **XS-XL**





3261

Genuine Atlas gray nitrile palm on black nylon liner. **S-XL**



3260

Genuine Atlas gray nitrile palm on white nylon liner. **S-XL**



3270

Gray nitrile palm dipped on a lightweight knit nylon liner. Excellent wear resistance with very high tactility. Recommended for assembly applications that require abrasion and snag resistance. **XS-XL**

3270NL Same as 3270, but with no logo. Designed for personalization. **XS-XL**

3215 Gray nitrile palm dipped on a lightweight white knit nylon liner. **XS-XL**



3225

HCT™ advanced foamed nitrile palm coating on a 13-gauge seamless knit nylon liner. HCT™ is a unique two layer coating process resulting in higher abrasion resistance and greater liquid proof properties than traditional foam coating methods. Unsurpassed grip and dexterity on wet or dry surfaces. **XS-XXL**

3226 Foamed black nitrile palm, 13-gauge gray nylon liner. **XS-XXL**



3227

Kevlar 13-gauge seamless knit with advanced foamed nitrile palm coating. Combines the cut-resistant properties of Kevlar® with fantastic grip, dexterity and wear resistance of HCT™ advanced foamed nitrile. **XS-XXL**



3433

Polyurethane palm-coating on a 13-gauge seamless knit nylon liner. Ultra-sensitive and antistatic. Designed for light duty assembly work. **XXS-XXL**

3434 Gray polyurethane on a gray liner. **S-XL**

3433A Heavier-duty white polyurethane dip on white liner. **XS-XXL**

SYNTHETICS

GENERAL PURPOSE, PALM COATED SEAMLESS KNIT



3385

The Atlas, medium weight, gray cotton/poly seamless knit with wrinkled latex palm coating. Excellent quality all-purpose work glove for applications requiring comfort, versatility and the features of a palm coated glove. Excellent alternative to leather and cotton for wet or dry applications. **S-XL**

3385RG Atlas re-grip, reinforced thumb crotch, black latex over blue latex on gray seamless knit liner. **S-XL**

3384 Green latex coating on yellow knit shell. **XS-XL**



3385W

The Atlas, medium weight, white cotton/poly seamless knit with wrinkled latex palm coating. Excellent quality all-purpose work glove for applications requiring comfort, versatility and the features of a palm coated glove. Excellent alternative to leather and cotton for wet or dry applications. **S-XL**



3388

Genuine winter Atlas glove. Gray latex palm on gray thermal liner. **S-XL**



3230

Atlas, green nitrile coating on gray seamless knit liner. **S-XL**



3386

Atlas Kevlar knit with latex palm coating. **S-XL**





3385A

M-Safe® cotton/poly seamless knit shell, pre-curved ergonomic design with wrinkled latex palm coating. **S-XXL**



3382

Economical cotton/poly seamless knit, latex palm coated. **S-XL**



3379 / 3380

3379 Economy blue latex palm coated on string knit liner. **M-XL**

3380 Economy red latex palm coated on string knit liner. **M-L**



3397HY

Very comfortable latex palm coated knit. Excellent fit. High visibility yellow knit with latex dipped palm. **S-XL**

3397HYN Same as 3397HY but with no logo, designed for personalization. **S-XL**

*See page 41 for winter version



3397HO

A very comfortable, high visibility orange knit with latex coated palm. Excellent fit. **S-XL**

3397HON Same as 3397HY but with no logo, designed for personalization. **S-XL**

*See page 41 for winter version



3381

Heavy knit liner and thick rubber coated palm provide excellent versatility for rugged jobs in a wide variety of trades. A comfortable yet heavy-duty work glove. Diamond grip pattern. **S-XL**





SYNTHETICS

GENERAL PURPOSE, COATED, LATEX, NITRILE



3390

Jersey knit, fully dipped in latex provides the durability of natural rubber with the comfort of a knit glove. Latex wrinkles on palm and fingers provide exceptional grip. Safety cuff and elastic strap. **L only.**



3391

Jersey knit, fully dipped in latex provides the durability of natural rubber with the comfort of a knit glove. Latex wrinkles on palm and fingers provide exceptional grip. Knit wrist. **L only.**



3389

Blue wrinkle dip latex, knit wrist. **S-L**



3392

Fully dipped crinkle finish latex, 12" gauntlet cuff. **L only.**



3210

Medium Duty Nitrile

Nitrile palm coated with interlock liner, provides excellent puncture and wear resistance, without compromising dexterity. Knit wrist. **XS-L**

3213 Fully dipped, knit wrist. **S-L**



3200

Heavy Duty Nitrile

Heavy nitrile coated jersey lined work glove for protection against sharp or jagged edges. Smooth finish, palm coated, knit wrist. **XS-L**

3201 Fully coated, knit wrist. **XS-L**



3203

Fully coated, safety cuff. **S-L**

3202 Palm coated, safety cuff. **S-L**



3203R

Extra Heavy Nitrile

Fully coated, rough texture (chunks), safety cuff, all jersey lined. **L only.**



3200R

Terrycloth palm, palm dip, knit wrist. **L only.**



3202R

Terrycloth palm, fully coated, safety cuff. **L only.**

COTTONS / KNITS

HOT MILL, DOUBLE PALM, CANVAS, JERSEY, CHORE



3405HV12

Wing thumb, 12-oz. "riggers canvas" cotton blend with orange dots, knit wrist. **L only.**

3405HV 10-oz. natural cotton canvas with high-visibility orange PVC dots. **L only.**



3454L / 3454 / 34540

3454 20-oz. Nap-in cotton double palm, clute pattern, knit wrist. **Natural. L only**

3454L 20-oz. Nap-in poly/cord fluorescent lime double palm, clute pattern, knit wrist. **L only**

34540 20-oz. Nap-in poly/cord fluorescent orange double palm, clute pattern, knit wrist. **L only.**



3450

8-oz. cotton flannel canvas, nap-in. **S, L**

3451 10-oz. cotton flannel canvas, nap-in. **S, L**

3452 12-oz. cotton flannel canvas, nap-in. **L only.**

3452HV 12-oz. orange clute cut cotton work glove, straight thumb. **M-XL**

3453 Cotton/poly insulated canvas. **L only.**



3405

8-oz. canvas with black PVC dots on the palm and index finger for added grip. **L only.**

3405G Gauntlet cuff. **L only.**

3405-10 10-oz. cotton canvas, black PVC dots. **S, L**



3406

18-oz. Double Palms

Cotton nap-in 18-oz. quilted cotton double palm with a 10-oz. canvas back. Straight thumb, knit wrist and knuckle strap. **S-L**

- 3406G** Double palm, gauntlet style. **L only.**
- 3406NK** No knuckle strap. **L only.**
- 3406NO** Nap-out, with knuckle strap. **L only.**
- 3453** Cotton insulated. **L only.**



3408 / 3410

24-oz. and 28-oz. Hot Mills

3408 Cotton hot mill, 24-oz. weight quilted palm and index, 10-oz. jersey canvas back with knuckle strap and band-top cuff. **L only.**

- 3410** 28-oz. **L only.**
- 3407** 24-oz. knit wrist. **L only.**
- 3407F** 24-oz. knit wrist, fourchette style. **L only.**
- 3408GR** 24-oz. green quilted palm and index finger. **L only.**
- 3408G** 24-oz. green quilted palm and index finger with gauntlet cuff. **L only.**
- 3409** 28-oz. with knit wrist. **S, L**



3410G

Heavy cotton hot mill 28-oz. white quilted palm and 10-oz. jersey canvas back with gauntlet cuff. **L only.**

3410GR Green cotton palm. **L only.**



3401

Traditional brown jersey in 8-oz. cotton with a knit wrist. **XS, S, L**

- 3400** Cotton/poly blend. **L only.**
- 3401B** Cotton/poly blend. **S, L**
- 3401BR** Cotton/poly blend, retail hangtag included. **S, L**
- 3401D** Palm with mini PVC dots. **S, L**
- 3401R** Retail hangtag included. **S, L**
- 3402** 7-oz. white jersey, ambi/reversible pattern. **S, M, L**
- 3421** Red fleece lined jersey. **L only.**



3465 / 3460

Heavy-duty chore gloves of double-woven cotton in your choice of two colors and two weights.

- 3459** 18-oz. yellow. **L-XL**
- 3460** 14-oz. yellow. **S, L**
- 3465** 18-oz. green. **L only.**



3461

Yellow chore with canvas back, band top. **L only.**

3461G Gauntlet cuff. **L only.**

COTTONS / KNITS

STRING KNITS / INSPECTION



3909W

Poly String Knits

100% polyester, white, heavyweight, string knit. Retail hangtag included. **S-XL**

3806W Cotton/poly (55/45) blend, bleached white, retail hangtag. **S-XL**

3806WB Untagged version of the 3806W. **S-XL**



3809G

Cotton/Poly String Knits

Heavyweight gray cotton/poly (50/50), 1000gr. **S-XL**

3804G Lightweight, gray. **S-L**

3805G Medium weight, gray. **S-L**



3403MC

Medium weight, multi-color, cotton/poly blend. **S, L**

3403MCH Heavyweight, multi-color. **S, L**



3403EL

Medium weight, 100% cotton, extra long. **XL only.**



3805

Cotton / Poly String Knits

Medium weight cotton/poly blend string knit.
S-L

3804 Lightweight, natural. S-L



3926HVO

High visibility orange string knit, reversible, PVC dotted on both sides for extra wear and grip. **L only.**



3825

PVC Dotted Knits

Medium weight cotton/poly blend string knit with PVC dots on both sides. Ambidextrous. S-XL

3815 Single-sided dots. S-XL

3829G Gray heavyweight, PVC dots on both sides. S-L



3443

Inspection Gloves

100-denier stretch nylon inspectors glove, fourchette style full fashion. Ambidextrous. S, L

3441 40-denier. S, L

3442 80-denier. S, L

3445 100% cotton lisle. S, L



1525F

Gray fingerless string knit with PVC webbing on the palm and back for exceptional grip. S-XL



1525I

String knit with PVC webbing on the palm and back for exceptional grip. S-XL

CUT RESISTANT DYNEEMA COATED



Majestic Glove is a Licensed Dyneema® Partner



Majestic Glove has been selected by DSM as a Dyneema® license partner. Majestic was selected based upon a commitment to providing quality hand protection and a focus on the benefits of the Dyneema® fiber. This mutual commitment with DSM ensures our customers purchase authentic, tested, Dyneema® cut-resistant products. Dyneema® offers an unmatched combination of fit, feel and comfort in a cut-resistant glove.

- Dyneema® gloves mold naturally to the hand, providing comfort and confidence to the worker exposed to the possibility of cut injuries.
- Dyneema® is pound-for-pound fifteen times stronger than steel.
- Resistant to many chemicals and ultraviolet light, Dyneema® is also easily laundered.
- It is more durable than polyester and is 40% stronger than Aramid fibers.
- Dyneema® is usually coated to add grip, chemical resistance or added abrasion resistance.
- Majestic offers one of the most complete lines of Dyneema® cut-resistant products available today.

Gloves made with Dyneema®, the world's strongest fiber™

In addition to protection, there are many other benefits to using cut-resistant gloves made with Dyneema®. They are lightweight and very comfortable, so employees will wear them for longer periods, reducing injuries and the associated costs. In addition, the high abrasion resistance of Dyneema® fiber means that the gloves can be washed and re-used several times, increasing their lifetime and cost-efficiency.



3437

PU, Ring Spun Yarn, Gray

Ring spun Dyneema® 13-gauge seamless knit. 15% more cut-resistant than continuous fiber Dyneema®. Gray shell with black polyurethane palm coating for industrial applications.

Cut Level 3 S-XXL

3437FN Same classic fit as the 3437 but with added benefit of foam nitrile palm. Excellent for oily applications. **XS-XL**



3435

PU, Filament Yarn, White

Dyneema® continuous fiber 13-gauge seamless knit with white polyurethane palm coating. Cut resistance equivalent to Kevlar® with ten times greater abrasion resistance. Dyneema® is chemically inert so it is an excellent choice for food applications where gloves need to be sanitized with chlorinated solutions.

Cut Level 3 S-XXL

3435N Heavier knit than the 3435. Continuous fiber, 13-gauge knit with white PU coating.

Cut Level 3 XS-XXL





34-1305

PU, Filament Yarn, Gray

Gray shell with gray polyurethane palm coating for industrial applications. **Cut Level 3 S-XXL**

34-1300 PU palm coated, gray shell, gray palm. Super soft and flexible. **Cut Level 3 S-XXL**

34-1500 PU palm coated, gray shell, gray palm. **Cut Level 5 S-XXL**



34-1350

Rubber, Filament Yarn, Gray

Continuous fiber gray shell with the added benefit of a latex palm coating. Black latex. **Cut Level 3 XS-XXL**

34-1550 Gray shell, black latex palm coated. **Cut Level 5 S-XXL**



34-1360

Nitrile, Filament Yarn, Gray

Continuous fiber gray shell with abrasion-resistant black nitrile coated palm. **Cut Level 3 S-XXL**

34-1365 Black foam nitrile coated palm, gray shell. **Cut Level 3 S-XXL**

34-1560 Black nitrile coated palm, gray shell. **Cut Level 5 S-XXL**

34-1565 Black foam nitrile coated palm, gray shell. **Cut Level 5 S-XXL**



3435NHY

PU, Filament Yarn, High Visibility Yellow

Dyneema® continuous fiber 13-gauge high visibility, seamless knit with white polyurethane palm coating. Cut resistance equivalent to Kevlar with ten times greater abrasion resistance. **Cut Level 3 S-XXL**



3435NHO

PU, Filament Yarn, High Visibility Orange

Dyneema® continuous fiber 13-gauge high visibility, seamless knit with white polyurethane palm coating. Cut resistance equivalent to Kevlar with ten times greater abrasion resistance. **Cut Level 3 S-XXL**



34-1570

Winter Dyneema

Black Dyneema® knit, black latex palm, winter lined. **Cut Level 5 S-XXL**





34-2510

White Dyneema®, antimicrobial, 10-gauge.
Cut Level 5 XS-XXL

34-2511 Gray Dyneema®, antimicrobial,
10-gauge. **Cut Level 5 XS-XXL**



34-2530

White Dyneema®, antimicrobial, 13-gauge.
Cut Level 5 XS-XXL

34-2531 Gray Dyneema®, antimicrobial,
13-gauge. **Cut Level 5 XS-XXL**



Dyneema® Food Handling Glove Series



The Majestic cut-resistant glove series for food handling is made with a blend of Dyneema® and stainless steel for protection from cuts and abrasion, and a covering of textured polyester for improved grip. The series also features a permanent antimicrobial to prevent the growth of bacteria or fungus on the glove. The antimicrobial is extruded into the material so that it does not wash out.

The series is available in three weights: a lightweight 13-gauge, with an ANSI Level 3, CE level 5 protection rating; a medium weight 10-gauge, with an ANSI Level 4, CE Level 5 cut protection rating; and a heavyweight 7-gauge, with an ANSI Level 5, CE Level 5 cut protection rating. The gloves are made to withstand repeated laundering and may be bleached. The gloves are made entirely with FDA accepted materials, and the antimicrobial is FDA approved for intimate contact with food.

* Meets FFDC (Federal Food Drug and Cosmetics Act) for use in federal inspected meat and poultry plants.

** Antimicrobial accepted



34-2570

White Dyneema®, antimicrobial, 7-gauge.
Cut Level 5 XS-XXL

34-2571 Gray Dyneema®, antimicrobial,
7-gauge. **Cut Level 5 XS-XXL**



CUT RESISTANT
DYNEEMA



Dyneema® Sleeves

Dyneema® cut-resistant sleeves are comfortable, formfitting, and actually vent heat to remain cool. These sleeves are resistant to snagging and tears and are launderable or may be dry cleaned.

- 3147-14** 2-ply, 14".
- 3147-14TH** 2-ply, 14" with thumb hole.
- 3147-16** 2-ply, 16".
- 3147-16TH** 2-ply, 16" with thumb hole.
- 3147-18** 2-ply, 18".
- 3147-18TH** 2-ply, 18" with thumb hole.
- 3147-24** 2-ply, 24".
- 3147-24TH** 2-ply, 24" with thumb hole.



3150-18TH / 3150-18THP

10-gauge Dyneema cut resistant sleeve with forearm impact resistance. Gusseted bicep provides extra stretch and comfort.

3150-18THP Dyneema 18" Sleeve with thumb hole and forearm impact protection.

3150-18TH Dyneema 18" Sleeve with thumb hole and no forearm impact protection.




Gloves made with Dyneema®, the world's strongest fiber™

In addition to protection, there are many other benefits to using cut-resistant gloves made with Dyneema®. They are lightweight and very comfortable, so employees will wear them for longer periods, reducing injuries and the associated costs. In addition, the high abrasion resistance of Dyneema® fiber means that the gloves can be washed and re-used several times, increasing their lifetime and cost-efficiency.



Relative Protection Level Decline in Relation to Abrasion



Cut Level Color Code

- Level 1
- Level 4
- Level 2
- Level 5
- Level 3

Choose Your Yarn:

Continuous filament Dyneema® yarn is up to 20 times more wear resistant than KEVLAR® and is lint free. Ring Spun Dyneema® is up to 5 times more wear resistant than KEVLAR®, is more comfortable than filament yarn.

CUT RESISTANT

KEVLAR, SPECTRA



3173

Spectra®

Spectra provides cut resistance equivalent to Kevlar, but has greater abrasion and is chemical-resistant. Spectra® is not affected by sanitation chemicals, making it an excellent choice for food applications. Excellent for problems associated with repetitive abrasion and accidental impact cuts. Medium weight 10-gauge. **S-XL**

3170 Lightweight 13-gauge. **S-XL**

3176 Extra heavyweight 7-gauge. **XS-XL**

3173DL Left hand PVC dotted. **XS-XL**

3173DR Right hand PVC dotted. **XS-XL**



Kevlar Sleeves

ATA®

Kevlar sleeves provide arm and wrist protection from cuts and heat. All are 2-ply, medium weight seamless knit, with or without a thumb hole.

3145-14TH 14" with thumb hole.

3145-16 16"

3145-16TH 16" with thumb hole.

3145-18 18"

3145-18TH 18" with thumb hole.

3145-24 24"

3145-24TH 24" with thumb hole



Made with single ply ATA®. 48% stronger than 2 ply Kevlar. Great for cut and heat resistance.

3144-14 14"

3144-14TH 14" with thumb hole.

3144-18 18"

3144-18TH 18" with thumb hole.

3144-24 24"

3144-24TH 24" with thumb hole.





3118

Kevlar fiber offers remarkable protection from cuts and heat in this seamless knitted glove. Medium weight 10-gauge knit. **S-XL**

- 3118P** Cotton plated. **S-L**
- 3117** Lightweight 13-gauge. **S-XL**
- 3119** Heavyweight 7-gauge. **S-XL**



3110

Both hands dotted on one side, Kevlar seamless knit, medium weight 10-gauge. **S-XL**

- 3110P** Cotton plated, medium weight. **S-L**
- 3111** Heavyweight 7-gauge. **S-XL**



3110F

Both hands dotted on both sides, Kevlar seamless knit, medium weight fingerless 10-gauge. **S-XL**



3227

Kevlar 13-gauge seamless knit with advanced foamed nitrile palm coating. Combines the cut-resistant properties of Kevlar® with fantastic grip, dexterity and wear resistance of HCT™ advanced foamed nitrile. **XS-XXL**



3386

Showa Kevlar seamless knit with latex palm dipped for added grip and wear. Excellent tactility and protection from cuts and abrasions. **S-XL**



3387

Premium quality Kevlar seamless knit with latex palm dipped for added grip and wear. Excellent tactility and protection from cuts and abrasions. Color-coded hem indicating size. **S-XXL**



CUT RESISTANT

COMPOSITE YARNS, KEVLAR LINED GLOVES



33-1465

Seamless, 13-gauge polyester/glass fiber, black foam nitrile palm. Provides excellent fit and performance. **Cut Level 4 XS-XXL**

**CUT-LESS
ANNIHILATOR**



33-1450

Seamless, 13-gauge polyester/glass fiber, black sandy latex palm. Provides excellent fit and performance. **Cut Level 4 XS-XXL**

**CUT-LESS
ANNIHILATOR**



33-1462

Seamless, 13-gauge polyester/glass fiber, black sandy foam nitrile palm. Provides excellent fit and performance.

Cut Level 4 XS-XXL

**CUT-LESS
ANNIHILATOR**



33-1467

Seamless, 13-gauge polyester/glass fiber, black foam nitrile. Provides excellent protection with fit and performance.

Cut Level 4 XS-XXL

**CUT-LESS
ANNIHILATOR**



33-1400

Gray knit, spun glass fiber liner, gray PU palm. Excellent cut resistance. **Cut Level 4** XS-XXL

CUT-LESS ANNIHILATOR



2510KV

Cowhide Kevlar lined drivers glove, keystone thumb, Kevlar sewn. **S-XXL**



1554KV

Goatskin Kevlar lined drivers glove, keystone thumb, Kevlar sewn. **S-XXL**



33-2401

Gray knit, spun glass fiber liner, ambidextrous. Excellent cut resistance. **Cut Level 4** XS-XXL

CUT-LESS ANNIHILATOR



2123HYK

Knucklehead Kevlar lined, ARMOR SKIN™ palm, with PVC palm patch reinforcement for wear and grip. High visibility yellow knit back, TPU knuckle protection, finger guards, Velcro wrist closure. **S-XXXL**



21245HO / 21245HY

Knucklehead X-10 Kevlar lined, ARMOR SKIN™ synthetic leather Palm, with PVC palm patch reinforcement for wear and grip. High visibility yellow knit back, TPR knuckle protection, finger guards, Velcro wrist closure. **S-XXXL**

21245HY High visibility yellow knit back. **S-XXXL**

21245HO High visibility orange knit back. **S-XXXL**



CUT AND PUNCTURE RESISTANT ALYCORE

Breaking News!

Majestic is proud to announce the licensing of Alycore™. After more than 16 years in development, Alycore™ has arrived, changing the safety industry forever. Why? Patented Alycore™ offers cut, puncture and needle resistance like no other product has before. Composed mostly of super-thin threads of iron and carbon, Alycore™ is lightweight, flexible, breathable, recyclable, and washable while providing ultimate protection. One layer of Alycore™ provides over 2730 grams, or over 6 pounds, of cut resistance!

When a needle makes impact with an Alycore™ glove, the needle will actually bend or break! When handling broken glass with Alycore™ gloves, even the smallest of shards will not penetrate and cut the hand.




Whenever there are risks for cuts, scrapes, or puncture wounds, put Alycore™ to work. Majestic offers a glove for any level of protection, whether it is for your basic cut resistant needs to gloves that are able to stop 25 gauge hypodermic needles. Majestic has developed a line of gloves from 1 to 10 layers of Alycore™, in the palm only or in the palm and back, providing you an assortment of protection where the user needs it. Ten layers would give the user almost 8 times the current ANSI/ISEA cut level 5 protection. We invite our customers to contact us with unique needs currently not covered by our products, we want to take care of your hands!



Scan this QR code to find out more about Alycore



Number of Layers		
Fingers (F)	Palm (P)	Back (B)
	2F	2P
	1F, 2F, 3F, 4F, 5F	2P, 4P, 6P, 8P, 10P
	1F, 2F, 3F, 4F, 5F	2P, 4P, 6P, 8P, 10P
		1B, 2B, 3B, 4B, 5B



Layers	ASTM F2878-10 Needle test			Puncture Test EN388				CPPT Cut Performance F1790-97		
	Peak Force in Lbs.	25 Gauge Needle	Lbs	Newtons	CE Level	ANSI/ISEA	Grams	Lbs	ASTM Level	
1	0.51	penetration	3.56	15.8	0	1	2738	6.0	4	
2	1.14	penetration	6.61	29.4	1	2	5476	12.1	5	
3	1.9	penetration	9.64	42.9	1	2	8214	18.1	5	
4	2.12	penetration	12.91	57.4	1	2	10952	24.1	5	
5	3.25	penetration	13.52	60.1	2	3	13690	30.2	5	
6	3.19	No penetration	17.56	78.1	2	3	16428	36.2	5	
7	3.36	No penetration	20.66	91.9	2	3	19166	42.3	5	
8	3.31	No penetration	22.39	99.6	2	3	21904	48.3	5	
9	3.25	No penetration	25.95	115.4	3	4	24642	54.3	5	
10	3.36	No penetration	29.79	132.5	3	4	27380	60.4	5	


**“Choose your protection, choose your layers.
We want to take care of your hands!”**

When you hold your hand up to tell someone to stop, notice the amount of resistance against your palm and fingers when you push on them with your other hand. Your palm is almost immovable, but your fingers push backwards, your thumb pushes backwards, and when you push on the back of the hand, it moves downwards. The same thought goes into the layers you choose. How much protection do you ultimately need? The uniqueness of Alycore allows you to choose the layers of protection you need. How we have designed the glove is really very simple.


You will not need as many layers of material in the fingers, the thumb and the back of the hand. They already have resistance because of freedom of movement. They have “give”. All of the Alycore gloves are designed to have twice as much cut and puncture resistance in the palm as in the other areas of the hand. Everything you need to know is in the first few characters of the part number. For example, take the **A4B37B**. The “A” stands for Alycore, the “4” stands for four layers in the fingers and the “B” stands for protection on the back of the hand equaling what is in the fingers. Four layers in the fingers and thumb, four layers on the back of the hand means you have eight layers in the palm. Now you have true puncture resistance as well!

Other options are available as well. Just need cut resistance in the fingers and palms; you might only need one layer in the fingers and two layers in the palm, like our **A1P37B**. Maybe you need some added protection. Double up your layers and add protection to the back of the handle. Try our **A2B37B**. We have multiple options to satisfy your safety requirements.

Not only does each pair of Majestic gloves featuring Alycore come with an easy protection reference guide, they have an added bonus, an extra layer of Alycore running from the inside tip of the thumb, through the thumb crotch and back up to the inside tip of the forefinger. Many of you know this area is susceptible to the greatest chance of injury. We mean it; we want to take care of your hands!



CPPT razor blade



CPP test in action



Added layer of Alycore to thumb crotch and forefinger



25 gauge needle buckling



25 gauge needle failure



CUT AND PUNCTURE RESISTANT

ALYCORE ARMOR SKIN SERIES—DRIVERS, LEATHER PALM AND DIPPED



A1P37 / A1B37

Alycore two layers in palm, one layer on back of hand, one layer in fingers, Armor Skin synthetic leather palm, knit back, Velcro wrist, black. **Cut Level 5 S-XXL**

A1B37Y Yellow. S-XXL

A1B37O Orange. S-XXL

A1P37B Alycore two layers in palm, one layer in fingers, Armor Skin synthetic leather palm, knit back, Velcro wrist, black.

Cut Level 5 XS-XXL

A1P37Y Yellow. XS-XXL

A1P37O Orange. XS-XXL



A2P37 / A2B37

Alycore four layers in palm, two layers on back of hand, two layers in fingers, Armor Skin synthetic leather palm, knit back, Velcro wrist, black. **Cut Level 5 S-XXL**

A2B37Y Yellow. S-XXL

A2B37O Orange. S-XXL

A2P37B Alycore four layers in palm, two layers in fingers, Armor Skin synthetic leather palm, knit back, Velcro wrist, black.

Cut Level 5 XS-XXL

A2P37Y Yellow. XS-XXL

A2P37O Orange. XS-XXL



A3P37 / A3B37

Alycore six layers in palm, three layers on back of hand, three layers in fingers, Armor Skin synthetic leather palm, knit back, Velcro wrist, black. **Cut Level 5 S-XXL**

A3P37B Alycore six layers in palm, three layers in fingers, Armor Skin synthetic leather palm, knit back, Velcro wrist, black.

Cut Level 5 XS-XXL



A4B37

Alycore eight layers in palm, four layers on back of hand, four layers in fingers, Armor Skin synthetic leather palm, knit back, Velcro wrist, black. **Cut Level 5** and Puncture Resistant. S-XXL

A4B37Y Yellow. S-XXL

A4B37O Orange. S-XXL





A2P23HY

Alycane four layers in palm, two layers in fingers. Knucklehead heavyweight Armor Skin synthetic leather, PVC reinforced patch palm, high visibility yellow knit back, TPU knuckle, reinforced finger guards, Velcro wrist.

Cut Level 5 S-XXL



A1P10P / A2P10P

A1P10P Alycane two layers in palm, one layer in fingers. Top-grain pigskin, keystone thumb, leather hem, shirred back.

Cut Level 5 S-XXL

A2P10P Alycane four layers in palm, two layers in fingers. Top-grain pigskin, keystone thumb, leather hem, shirred back.

Cut Level 5 S-XXL



A2P1800

Alycane four layers in palm, two layers in fingers. Side split cowhide palm with a wing thumb, knuckle strap and shirred back. Kevlar sewn for added strength.

Cut Level 5 S-XXL

Choose Your Protection

	Number of Layers		
	Fingers (F)	Palm (P)	Back (B)
	2F	2P	
	1F, 2F, 3F, 4F, 5F	2P, 4P, 6P, 8P, 10P	
	1F, 2F, 3F, 4F, 5F	2P, 4P, 6P, 8P, 10P	1B, 2B, 3B, 4B, 5B



A2S42Y

ARMOR SKIN™ Knucklehead Alpha 1, synthetic leather palm with full finger and backhand TPR protection, added thumb crotch protection. Two layers of Alycane throughout palm and fingers. ARMOR SKIN™ high visibility yellow.

Cut Level 5 S-XXXL



A2S85N

Alycane two layers in palm, two layers in fingers. Knitted medium weight shell with latex crinkle finish palm.

Cut Level 5 S-XXL



Be safe, be seen!

Although there is no standard for high visibility hand apparel, that doesn't mean we don't care. The gloves on these pages all in some way use materials that are ANSI 107 compliant, for visibility. We care about you and we care about your hands. Simply put, if your hands are more visible, this makes you safer and makes you more visible to others.

ANSI 107
 Made with ANSI 107 (High Visibility Standard) approved materials.



1954

1950

High Visibility Gloves

Select shoulder split cowhide, ANSI 107 type high visibility fluorescent orange poly-woven back, with 3M® high visibility reflective yellow knuckle strap. Gunn cut wing thumb pattern with heel pull and 2½" safety cuff. **S-XL**

1954T Same as 1954 but with Thinsulate® lining for warmth. **S-XL**



High Visibility Driver Glove

Top grain cowhide driver style glove with ANSI 107 type high visibility fluorescent orange poly-woven back, 3M® reflective knuckle strap. **S-XL**

1951 3M® Thinsulate® insulation lined. **XS-XXL**



2501CDP / 2501CDY

1554HVO / 1554HVV

2501CDP Premium split cowhide leather with orange canvas, internal double palm with a full leather index finger, leather fingertips, knuckle strap and heel pull. Wing thumb, rubberized safety cuff and color-coded bias tape hem. **M-XL**

2501CDY High visibility yellow back. **M-XL**



1554HVO A-grade goatskin, keystone thumb, color-coded bias tape hem, high visibility orange fingers. **S-XL**

1554HVV A-grade goatskin, keystone thumb, color-coded bias tape hem, high visibility yellow fingers. **S-XL**

2510HVO B-grade cowhide, keystone thumb, color-coded bias tape hem, high visibility orange fingers. **S-XXL**

HIGH VISIBILITY
LEATHER AND PALM DIPPED



1960 / 1961

High Visibility Split Pig, Winter Lined

1960 Pig split palm with ANSI 107 type high visibility fluorescent orange poly-woven back, 3M® reflective yellow knuckle strap. Poly fleece lining, and safety cuff with internal knit wrist. **XS-XXL**

1961 Knit wrist without safety cuff. **XS-XXL**



3368HVY

Lightweight, 13-gauge palm dipped knit. Hydropellent material on the palm area repels water yet maintains excellent grip. Good wear resistance and excellent tactility. Palm and liner are both in high visibility yellow. Printed safety message on back: "Watch Pinch Points." **XS-XL**



3396HY / 3396HO

Winter or freezer wear heavyweight high visibility knit with latex dipped palm. An extremely comfortable and versatile work glove available in both high visibility orange and yellow.

3396HY High visibility yellow back. **M-XL**
3396HO High visibility orange back. **M-XL**



3435NHO / 3435NHY

3435NHY PU, Filament Yarn, High Visibility Yellow

Dyneema® continuous fiber 13-gauge high visibility, seamless knit with white polyurethane palm coating on. Cut resistance equivalent to Kevlar® with ten times greater abrasion resistance. Dyneema® is chemically inert so it is an excellent choice for food applications where gloves need to be sanitized with chlorinated solutions. **Cut Level 3 S-XXL**

3435NHO PU, Filament Yarn, High Visibility Orange. **Cut Level 3 S-XXL**



3228HVY

Micro foam nitrile palm, on high visibility yellow nylon shell. **XS-XXL**

3228HYT Micro foam nitrile palm, 15-gauge nylon outer shell, thermal liner, high visibility yellow. **S-XXL**

3229HVY Heavyweight foam nitrile palm, high visibility yellow nylon liner. **XS-XXL**



3397HY / 3397HO

Lighter weight version of the winter styles pictured above but with the same comfort, fit and versatility. Available in both high visibility yellow and high visibility orange. **S-XL**

3397HO High visibility orange knit. **S-XL**
3397HY High visibility yellow knit. **S-XL**



HIGH VISIBILITY MECHANICS STYLE



Be safe, be seen!

Although there is no standard for high visibility hand apparel, that doesn't mean we don't care. The gloves on these pages all in some way use materials that are ANSI 107 compliant, for visibility. We care about you and we care about your hands. Simply put, if your hands are more visible, this makes you safer and makes you more visible to others.

ANSI 107

Made with ANSI 107 (High Visibility Standard) approved materials.



2127HY

ARMOR SKIN™ synthetic leather X20, silicone grip on index and middle tip, reinforced double stitched palm, Neoprene stretch back, reinforced finger guards. Neoprene wrist and Velcro closure. **XS-XXXL**



2136HO / 2136HY

ARMOR SKIN™ synthetic leather palm, knit back, slip-on. **XS-XXL**

2136HO High visibility orange. **XS-XXL**

2136HY High visibility yellow. **XS-XXL**



2137HO / 2137HY

ARMOR SKIN™ synthetic leather palm, knit back, Velcro wrist. **XS-XXL**

2137HO High visibility orange. **XS-XXL**

2137HY High visibility yellow. **XS-XXL**



2152HV

Premium grain pigskin palm, high visibility orange stretch knit back with a neoprene knuckle and Velcro wrist strap. **XS-XXL**

2152THV Grain pigskin palm, high visibility orange stretch back with neoprene knuckle and Velcro wrist closure. Thinsulate® lined. **XS-XXL**

Thinsulate
INSULATION





2145HOH / 2145HYH

ARMOR SKIN™ leather palm, knit back, Velcro wrist, waterproof, silver reflective piping, Heatlok lined. **XS-XXL**

2145HYH High visibility yellow. **XS-XXL**

2145HOH High visibility orange. **XS-XXL**



Why ARMOR SKIN™?

ARMOR SKIN™ was developed to keep the worker comfortable and safe. Leather goods are a commodity, and as such are subject to wild fluctuations in the market. With hide shortages worldwide, we at Majestic were driven with the task of finding “something else” out there. With ARMOR SKIN™, we found it!



ARMOR SKIN™ is the one of the toughest materials on the market—a true synthetic that can provide unmatched abrasion resistance. It is literally stronger than leather. We have measured this by taking samples of material and placing them on our in-house abrasion test machine. The results speak for themselves—we were able to develop a material that provides better abrasion resistance than cowhide and pigskin, and with a far superior fit and feel factor.

ARMOR SKIN™—More wear and abrasion resistant than leather and pound for pound the toughest synthetic glove material available.

Style options include slip-on or with a Velcro wrist strap. The black style is available unlined or with your choice of three levels of cold protection. Great fit, feel and comfort.

All styles come tagged. Available in sizes XS-XXL



2123HVY

Knucklehead heavyweight ARMOR SKIN™, PVC reinforced patch palm, high visibility yellow knit back, TPU knuckle, reinforced finger guards, Velcro wrist. **S-XXXL**

2123HYK Knucklehead heavyweight ARMOR SKIN™, PVC reinforced patch palm, high visibility yellow knit back, TPU knuckle, reinforced finger guards, Velcro wrist, Kevlar lined. **S-XXXL**



21242HO

ARMOR SKIN™ Knucklehead X10, synthetic leather palm with full finger and backhand TPR protection, ARMOR SKIN™ high visibility orange. **S-XXXL**

21243HO Waterproof. **S-XXL**

21245HO Kevlar lined. **S-XXXL**

21247HO Thinsulate® lined and waterproof. **S-XXXL**



21242HY

ARMOR SKIN™ Knucklehead X10, synthetic leather palm with full finger and backhand TPR protection, ARMOR SKIN™ high visibility yellow. **S-XXXL**

21243HY Waterproof. **S-XXL**

21245HY Kevlar lined. **S-XXXL**

21247HY Thinsulate® lined and waterproof. **S-XXXL**

A2S42Y Lined with Alycure, no palm pads.

Cut Level 5 S-XXXL

(See page 72 for more details on Alycure)



WELDERS

GENERAL PURPOSE



HEAT SHIELD M
A Majestic exclusive, "Heatshield" is specially treated, retardant leather (side split only).

2100

Side Split Welders

Side split with Heatshield, a special treatment to make leather fire retardant. One-piece back, ergonomically correct semi-straight thumb. Two double rows of inside elastic in the back for snugness, yet easy to throw off when necessary. Padded flame retardant sock lining in the palm and back. Weltd in all stress areas. Self-rolled hem. Kevlar sewn. **L , XL**

2101 Standard style without elastic in wrist. **S, L**
2101LHO Left hand only version. **L only.**

KEVLAR



Flame Retardant

1514BLT

2514BL



Blue side split with Heatshield, a special treatment to make leather fire retardant. Performance thumb, plus reinforced thumb, palm and index finger seam. One-piece back, Kevlar sewn. Wide palm patch doubles palm and thumb crotch protection where wear is heaviest. Glove is sock lined. Weltd in all stress areas. Self-rolled leather hem. **L only.**

No thumb strap, select shoulder. **L only.**

1514BL No thumb strap. **L only.**
2514BLH-2514BRH No thumb strap, select shoulder, left or right hand only. **L only.**
2514BLT Select shoulder. **L only.**
2514BBLT Regular shoulder. **L only.**

KEVLAR



1514S

Brown side split with Heatshield. Straight thumb with reinforced thumb strap, Kevlar sewn, and straight back with heel pull. **L only.**

1514 Wing thumb. **L only.**

KEVLAR



2514A

Select shoulder leather, traditional wing thumb rust color welders glove. One-piece back. Fully lined. **L only.**

2514RHO-2514LHO Right or left hand only. **L only.**



1514GR

Select shoulder leather, traditional wing thumb rust color welders glove. One-piece back. Fully lined. Green. **S-XL**



2514AS

Regular shoulder split, thumb strap. **L only.**



2514C

Regular shoulder split leather, wing thumb, gray color. **L only.**

2514CLHO Left hand only. **L only.**
2514AB Rust color. **L only.**



USG-33

A glove cover designed for the welder, but effective for any task where long wear is a challenge. Select shoulder split cowhide, full leather, adjustable strap for snugness. Sold by single glove. **One size fits all.**

USG-33L for left hand.
USG-33R for right hand.

WELDERS / SPECIALTY

TIG WELDING



3507G

Pigskin, reinforced keystone thumb, seamless index finger, Kevlar sewn, 5" split gauntlet cuff. **S-XXL**

3506G Grain goatskin palm with split cowhide back. **S-XL**



3504G

TIG welding gauntlet for jobs where tactility is a must. Unlined thin goatskin grain leather. Straight thumb with thumb strap to protect the seam and 5" split leather gusseted gauntlet. Clute cut with internal back seams. **S-XL**

3503G Heavier cowhide, split back, gunn cut. **M-XL**



1569

Premium split deerskin, split gray deerskin cuff. **S-XL**



2105

Premium heavy split deerskin TIG glove. Clute cut pattern with reinforcing thumb strap and heel pull. 4½" split gauntlet cuff. Gold color. **M, L**

Anti-Vibration Standard Compliant (ISO 10819)

Millions of workers in the United States are exposed to on-the-job hand and arm trauma associated with tool impact and vibration. In many cases, painful injuries or long term nerve damage can result from frequent exposure to tool vibration. Standards exist that specify test procedures and the performance criteria for anti-vibration gloves, but only in Europe are the standards enforced. Our 1905 has been tested and exceeds the ISO 10819 requirements for an anti-vibration glove.



1905 / 1904

Full-fingered anti-vibration glove exceeds current ISO 10819 standards for its classification. The 7-gauge knit shell is palm coated with shock absorbing material to reduce injuries and fatigue. Unusually comfortable with elastic wrist and color coded sizing. Washable. **M-XL**

1905 Full-fingered. **M-XL**
1904 Fingerless. **M-XL**



1900 / 1901

Heavy top grain leather shock-absorbing glove. Velcro fastener at the back ensures snug fit even during long jackhammer hours; Velcro band at the wrist guards against tendonitis. Patented anti-vibration polymer pads, designed for maximum comfort and protection. Wing thumb, gunn cut, with semi-open back for ventilation. Kevlar sewn. **S-XL**

1900 Fingerless. **S-XL**
1901 Full-fingered. **S-XL**



2123 / 2123HVY

2123 Reversed cowhide palm with padded patches for added protection designed to lessen hand fatigue. The back is a stretch knit with a sewn-in TPU (Thermoplastic Polyurethane) knuckle guard. Finger knuckles are protected with special rubber impact pads. A glove designed for heavy duty work! Velcro wrist closure. **S-XL**

2123HVY Knucklehead heavyweight ARMOR SKIN™, PVC reinforced patch palm, high visibility yellow knit back, TPU knuckle, reinforced finger guards, Velcro wrist. **S-XXXL**



2163

Extremely tough extrication gloves for emergency rescue work. The form fit design is contoured, making this an excellent fitting glove with fantastic dexterity. Kevlar loaded Armortex® reinforced palm patches, stainless steel reinforced padded knuckles, and Cordura® dynamic stretch back. Elastic gusseted cuff to keep debris out. **XS-XXL**

2163NL Designed with no logo for personalization. **S-XXL**
2164 Extended cuff with Velcro closure. **XS-XXL**



1516A

Quality lineman's gauntlet made of heavy top grain leather with davey tip welts at fingertips and gunn seam. Wide palm patch doubles palm and thumb-crotch protection where it's needed most. Straight thumb, fully welted. Finger seams are sewn to the rear of the fingers for best comfort, and out-seamed for minimum restriction. 5" split leather gauntlet is cloth lined. Kevlar sewn. **XXS-XXL**

1517 Elbow-length gauntlet. **XS-XXL**



1516E

Highest quality lineman's gauntlet made of heavy top grain elk. Double reinforced palm with seamless index, fully welted fingertips, straight thumb, thumb strap, heel pull, and 5" waterproof PU coated gauntlet. Kevlar sewn. **S-XXXL**





1541

Kid's size grain deerskin driver. Keystone thumb and gunn cut style. **Sizes 3, 5, 6, 7.**



1510B

Cowhide driver. Keystone thumb and color-coded bias tape hem. **Sizes 3, 5, 6, 7.**



Kid's Glove Sizing

Children's gloves are sized in accordance with age. Size 3 (ages 3–6), size 5 (ages 5–8), size 6 (ages 6–9) and size 7 (ages 7–12). Size 7 is also an adult extra-small size and can certainly be used for industrial applications. These are real gloves.



1512

Regular shoulder split driver with keystone thumb, shirred back, and color-coded bias tape hem. **Sizes 3, 5, 6, 7.**



1570 / 1571

Made for hardworking smaller hands. Side split cowhide leather palm, heel pull, fingertips and knuckle strap, with canvas back and stiff canvas safety cuff. Straight thumb with seam welts, gunn cut. External elastic band at back of wrist. **Sizes 3, 5, 7.**

1570 Safety cuff.
1571 Knit wrist.



1506

Winter lined grain cowhide with red fleece lining. Straight thumb. **Sizes 3, 5, 7.**

SMALL SIZES



4700

Floral print canvas slip-on garden glove, clute cut design with extended cuff. Available in one dozen pre-pack of assorted colors. Tagged for retail sales. Ladies size L only.



2150

The comfort and feel of deerskin in a true mechanics style glove. One of our most comfortable, best fitting gloves. Features a seamless palm, wing thumb, stretch knit back and neoprene knuckle area. Elastic wrist and Velcro closure. Sizes 3, 5, 7.



2152

Premium grade pigskin palm, blue stretch knit back with neoprene knuckle area and Velcro wrist closure. Sizes 3, 5, 7.



2153

Premium white grain goatskin palm, black stretch knit back with neoprene knuckle area and Velcro wrist closure. Sizes 3, 5, 7.



1666

Split deerskin palm insulated fleece glove. Available in one dozen pre-pack of assorted colors. Sizes 3, 5, 7.



3422P

Ragg wool fingerless mitten with finger cover, and split leather patch reinforced palm. (For sizes 5 and 6, refer to pricing of 3422PK.) Sizes 5, 6, 7.



3265 / 3266 / 3267 / 3270

Garden Gloves

Nitrile palm dipped on 13-gauge seamless knit liner. Excellent wear resistance and tactility. Washable. Sized as ladies garden gloves. XS-M

3265 Blue knit, blue palm dipped. XS-M

3266 Green knit, green palm dipped. XS-M

3267 Purple knit, purple palm dipped. XS-M

3270 Black knit, gray palm dipped. Available in a full range of adult sizes. XS-XL



Nuisance Dust Mask

Features:

Soft fiber construction and adjustable nosepiece for comfort and fit

Low profile design allows for perfect vision with glasses or goggles

Easy breathing and normal speaking

Uses:



Protection against nuisance dust in the following situations

- Automotive bodyshop
- General industry
- Home & Garden environments
- Construction industry
- Agricultural work

50 ea
Respirators
#74-900



See side panel for uses and important WARNINGS



74-900

Nuisance level dust mask. 50 per box.

RESPIRATORY

Features:

- Soft closed cell foam interior nosepiece
- Soft fiber construction and adjustable nosepiece for comfort and fit
- Low profile design allows for perfect vision with glasses or goggles
- Easy breathing and normal speaking

Uses:

74-900 offers protection against nuisance dust in the following situations:

- Automotive body shop
- General industry
- Home & garden environments
- Construction industry
- Agricultural work

All other masks offer a higher level protection, as certified N95 under NIOSH.



74-910

N95 flat fold respirator. 20 per box.



74-911

N95 flat fold respirator with exhalation valve. 10 per box.



74-905

N95 cone respirator. 20 per box.



74-906

N95 cone respirator with exhalation valve. 10 per box.

PROTECTIVE CLOTHING

DISPOSABLE



Tired of blowouts?

Majestic's line of disposable coveralls is manufactured in strict accordance. We follow ANSI/ISEA 101-1996 standards for sizing.

What does this mean? When you squat, the seat allows for a generous cut, so no premature blowouts. A generous cut in the armpit means the same thing, no premature blowouts when you lift your arms up.

“Quality is no accident!”



74-201F

FR AeroTEX™ SMS coverall, tri-laminate construction, elastic wrist and ankle, anti-static. Case of 25. **S-5X**

74-202F FR AeroTEX™ SMS coverall, tri-laminate construction, elastic wrist and ankle, with hood, anti-static. Case of 25. **S-5X**

74-203F FR AeroTEX™ SMS coverall, tri-laminate construction, elastic wrist and ankle, with hood and boots, anti-static. Case of 25. **S-5X**



74-1010

ComforTEX™ micro-porous coverall, orange, breathable, lightweight. The perfect choice for particles and non-hazardous chemical spray. Case of 25. **S-5X**



74-401

Lab Coats Provide Light Splash and Dry Particulate Protection

SMS labcoat, 3 snaps, collar, elastic wrist, no pockets, white. **S-3X**

74-402 PP labcoat, 3 snaps, collar, elastic wrist, no pockets, white. **S-3X**

74-521 Bouffant 21".

74-524 Bouffant 24".

74-540 PP beard cover.



74-101

ComforTEX™ Micro-porous Coverall

Our spun bonded micro-porous coverall, is a great barrier for non-hazardous environments. ComforTEX™ protective clothing provides the comfort and protection that is expected in today's PPE. ComforTEX™ is lightweight and breathable, the perfect choice against dust, particles and non-hazardous chemical spray. Micro-porous coverall, elastic wrist and ankles. **S-5X**

74-102 Attached hood. **S-5X**

74-103 Attached hood and boots. **S-5X**



74-618

PP/CPE Coated Sleeve

74-618 18", white.



74-202

AeroTEX™ SMS Coverall

This coverall is made of SMS barrier material, a tri-laminate construction that offers a high tensile strength and toughness that is soft, drapable and easy to work in. The inner layer of polypropylene provides an excellent barrier against dusts, fibers, liquid splashes and sprays. Coveralls are ideal for maintenance, manufacturing, food processing, agriculture and much more. AeroTEX™ barrier provides superior particle holdout and excellent breathability. SMS coverall, elastic wrist and ankles. **S-5X**

74-201 **S-5X**

74-202 Attached hood. **S-5X**

74-203 Attached hood and boots. **S-5X**



Anti-slip Sole Pattern

74-650

PP/CPE Coated Boot Cover

74-650 CPE anti-slip sole. **S-XL**



74-303

Coverall with Bound Seams

Improve worker PPE protection with noiseless comfort. ResisTEX™ PP/CPE bound seam coveralls provide protection against a wide variety of hazards and nuisances. ResisTEX™ coveralls are noiseless protection from water based liquids, greases and oils and liquid chemical splashes and sprays. Use for agriculture mixing and spraying, chemical handling, environmental and pesticide applications. PP/CPE coverall, elastic wrist and ankles. **S-5X**

74-301 **S-5X**

74-302 Attached hood. **S-5X**

74-303 Attached hood and boots. **S-5X**



74-625

Micro-porous Shoe Covers

Micro-porous shoe cover. **One size fits all.**

PROTECTIVE CLOTHING

HIGH VISIBILITY—BOMBERS AND PARKAS



75-1301 / 75-1302

Lined bomber jacket is loaded with features! PU coated polyester with fully taped seams and concealed, detachable hood. Elastic ribbed waist, wrist and collar keep out the cold. Inside breast and outside slash pockets, a cell phone pocket, and a warm removable fleece liner make this jacket exceptional. Meets ANSI / ISEA 107- 2010 Class 3 standard. **S-7X**

75-1302 Orange. **S-7X**



75-1311

High visibility yellow, with black in all the areas that get the most soiled. Lined bomber jacket is loaded with features! PU coated polyester with fully taped seams and concealed, detachable hood. Elastic ribbed waist, wrist and collar keep out the cold. Inside breast and outside slash pockets, a cell phone pocket, and a warm removable fleece liner make this jacket exceptional. Meets ANSI / ISEA 107- 2010 Class 3 standard. **S-7X**



75-1300

Economical high visibility yellow jacket, with fixed quilted liner. PU coated polyester with fully taped seams and concealed attached hood. Elastic ribbed waist, wrist and collar keep out the cold. Outside slash pockets and a cell phone pocket. Meets ANSI / ISEA 107- 2010 Class 3 standard. **S-7X**



75-1313

Economical high visibility yellow jacket, with black in all the areas that get the most soiled and fixed quilted liner. PU coated polyester with fully taped seams and concealed attached hood. Elastic ribbed waist, wrist and collar keep out the cold. Outside slash pockets and a cell phone pocket. Meets ANSI / ISEA 107- 2010 Class 3 standard. **S-7X**





8 different configurations

1. Full jacket ensemble—jacket & liner
2. Full jacket & fleece vest
3. Full jacket without liner
4. Vest jacket without liner—ANSI Class 2
5. Vest jacket & entire fleece liner
6. Vest jacket & vest fleece liner—ANSI Class 2
7. Full fleece liner
8. Fleece vest liner—ANSI Class 2

75-1381 / 75-1382

The Transformer, 8-in-1 bomber. The high visibility Transformer offers eight varieties of wearing options, which include the basic fully lined Class 3 waterproof jacket, Class 2 vest, a high visibility Class 3 liner, and five more options that can be created depending on the days weather. The jacket features a detachable hood, ID holder pocket, radio tab straps, a fleece collar, six pockets and many other features which make the Transformer the best high visibility jacket on the market. Meets ANSI / ISEA 107- 2010 Class 3 standard. **M-6X**. Liner also sold separately, see page 95, item 75-5381 Yellow, 75-5382 Orange.

75-1381 Yellow. **M-6X**
75-1382 Orange. **M-6X**



75-1303 / 75-1304

Cold weather high visibility parka designed to keep out the wet and the cold. Sewn-in, anti-pilling polar fleece lining and detachable hood. All seams are taped. Sleeves are detachable and have elastic cuffs and snaps for wind protection. The flap pockets also snap and the heavy-duty zippered front includes a storm flap. Meets ANSI / ISEA 107-2010 Class 3 standard. **M-6X**

75-1303 Yellow. **M-6X**
75-1304 Orange. **M-6X**



75-1331 / 75-1332

Lined bomber jacket is loaded with features! PU coated polyester with fully taped seams and concealed, detachable hood. Elastic ribbed waist, wrist and collar keep out the cold. Inside breast and outside slash pockets, a cell phone pocket, and a warm removable fleece liner make this jacket exceptional. Meets ANSI / ISEA 107- 2010 Class 3 standard and CSA (Canadian Standards Association) Z96 standards. **M-6X**

75-1331 Yellow. **M-6X**
75-1332 Orange. **M-6X**



PROTECTIVE CLOTHING

HIGH VISIBILITY—RAINWEAR



75-1351 / 75-1352

This high visibility rain jacket is 100% polyester, PU coated oxford fabric. All seams are fully taped to insure waterproof integrity. Jacket has two outer pockets and hood. Unlined. Meets ANSI / ISEA 107-2010 Class 3 standard. **M-6X**

75-1351 Yellow. **M-6X**

75-1352 Orange. **M-6X**



75-1305 / 75-1306

High visibility rain jacket is 100% polyester, PU coated oxford fabric. All seams are fully taped to insure waterproof integrity. Jacket has two outer pockets, breast pocket and detachable hood. Snap and elastic wrists, zipper storm flap with snaps. Nylon mesh liner. Meets ANSI / ISEA 107-2010 Class 3 standard. **M-6X**

75-1305 Yellow. **M-6X**

75-1306 Orange. **M-6X**



75-2353 / 75-2354

Waterproof bib overall features sturdy plastic shoulder strap buckles, zipper chest pocket, slash side pockets and bottom leg zippers to pull on over boots. Snap closures on the bottom of the ankle hem insure a snug fit. Can be worn with all of Majestic's high visibility jacket offerings. Meets the ANSI / ISEA 107-2010 Class E standard. **M-6X**

75-2353 Yellow. **M-6X**

75-2354 Orange. **M-6X**



75-2351 / 75-2352

Waterproof rain trouser matches any of the high visibility jackets shown and meets the ANSI / ISEA 107-2010 Class E standard. Unlined with elastic waist, snap front and legs. **M-6X**

75-2351 Yellow. **M-6X**

75-2352 Orange. **M-6X**





Stretch



75-7301

High Visibility DOT Rain Jacket

Polyester with high visibility breathable, stretchable polyurethane coating. Double welded water proof seams . Outer pockets with snap closure storm flaps. Zipper closure with snap closure storm flap. Concealed hood with zipper closure. 3M Scotchlite™ reflective striping. Contrasting orange DOT striping. Unlined for warm weather comfort. Elastic wrists and pull string waist superior fit. ANSI 107-2010 Class 3 compliant. **M-6X**



75-7351

High Visibility DOT Waist Pants

Polyester with high visibility breathable, stretchable polyurethane coating . Double welded water proof seams. 3M Scotchlite™ reflective striping. Contrasting orange DOT striping. Unlined for warm weather comfort. Elastic waist and snap ankle closures . Pocket and fly access. ANSI 107-2010 Class E compliant. **M-6X**



75-7303

High Visibility DOT Rain Coat

48" Long coat. Polyester with high visibility breathable, stretchable polyurethane coating. Double welded water proof seams . Outer pockets with snap closure storm flaps. Zipper closure with snap closure storm flap. Concealed hood with zipper closure. 3M Scotchlite™ reflective striping. Contrasting orange DOT striping. Unlined for warm weather comfort. Elastic wrists. ANSI 107-2010 Class 3 compliant. **M-6X**



75-7353

High Visibility DOT Rain Bibs

Polyester with high visibility breathable, stretchable polyurethane coating . Double welded water proof seams. 3M Scotchlite™ reflective striping. Contrasting orange DOT striping. Unlined for warm weather comfort. Elastic suspenders, heavy duty snap ankle and torso closures. Button fly closure. ANSI 107-2010 Class E compliant **M-6X**



PROTECTIVE CLOTHING

HIGH VISIBILITY—T-SHIRTS, POLO SHIRTS, SWEATSHIRTS, FLEECE



75-5311 / 75-5312

A polo shirt for a more professional look on the job. 2" reflective tape and a three button collar. Same birdseye material that our comfortable t-shirts are made from. Meets ANSI / ISEA 107-2010 Class 3 standard. **M-6X**

75-5311 Yellow. **M-6X**
75-5312 Orange. **M-6X**



75-5355 / 75-5356

Deluxe yellow birdseye mesh long sleeve t-shirt. Double waist 3M® stripes and a chest pocket. Meets ANSI / ISEA 107-2010 Class 3 standard. **M-7X**

75-5355 Yellow. **M-7X**
75-5356 Orange. **M-7X**



75-5303 / 75-5304

Premium yellow birdseye mesh short sleeve t-shirt. Single waist 3M® stripes and extended vertical striping. Outstanding wicking ability, helps you stay cool on the job. Meets ANSI / ISEA 107-2010 Class 3 standard. **M-7X**

75-5303 Yellow. **M-7X**
75-5304 Orange. **M-7X**



75-5305 / 75-5306

Deluxe yellow birdseye mesh short sleeve t-shirt. Double waist 3M® stripes and a chest pocket. Meets ANSI / ISEA 107-2010 Class 3 standard. **M-7X**

75-5305 Yellow. **M-7X**
75-5306 Orange. **M-7X**





75-5325 / 75-5326

Zipper front hooded high visibility yellow sweatshirt with black around the areas that get the most soiled. Meets ANSI / ISEA 107-2010 Class 3 standard. **M-6X**

75-5325 Yellow. **M-6X**
75-5326 Orange. **M-6X**



75-5327 / 75-5328

Hooded pullover high visibility yellow sweatshirt with black around the areas that get the most soiled. Meets ANSI / ISEA 107-2010 Class 3 standard. **M-6X**

75-5327 Yellow. **M-6X**
75-5328 Orange. **M-6X**



75-5321

Crew neck high visibility yellow sweatshirt. Meets ANSI / ISEA 107-2010 Class 3 standard. **M-6X**



75-5323

Hooded, zipper front high visibility yellow sweatshirt. Meets ANSI / ISEA 107-2010 Class 3 standard. **M-6X**



75-5381

High visibility fleece liner, yellow. Zip off sleeves allow it to be worn as a Class 2 vest. With sleeves it meets ANSI / ISEA 107-2010 Class 3 standard. Can also be used as a replacement liner for the 75-1381 Transformer jacket (see page 87). **M-6X**

75-5382 Orange. **M-6X**



PROTECTIVE CLOTHING

HIGH VISIBILITY—VESTS: CLASS 2



D-Ring Pass Thru



Night Vision



75-3225 / 75-3226

Two-tone ANSI Class 2 vest with d-ring pass thru. Vest also features high visibility piping around the edges to give you an enhanced safety factor. Includes ID badge holder, four pen pockets, two waist pockets with Velcro closures and two radio mic tabs on the left and right chest. Meets ANSI / ISEA 107-2010 Class 2 standard. **M-5X**

75-3226 Orange. **M-5X**



75-3221 / 75-3222

Tony Sanseri Signature Line.

Class 2 solid surveyors style vest with contrasting DOT striping. Heavy-duty radio tabs and seven full-size pockets (a radio pocket, with Velcro closure, large chest pocket, two large waist pockets with Velcro closures, and two large inside pockets). Also includes four pen pockets. Heavy-duty zipper closure. Meets ANSI / ISEA 107-2010 Class 2 standard. **M-5X**

75-3221 Yellow, solid back. **M-5X**

75-3222 Orange, solid back. **M-5X**

75-3223 Yellow, mesh back. **M-5X**

75-3224 Orange, mesh back. **M-5X**



75-3283 / 75-3284

ANSI 107-2010 Class 2, ASTM F2302-08 compliant flame retardant vest. Made of solid material, it has two large waist pockets with Velcro flap closures. **M-5X**

75-3283 Yellow. **M-5X**

75-3284 Orange. **M-5X**





75-3201 / 75-3202

High visibility yellow polyester mesh fabric is excellent for warm days or indoor applications requiring added visibility. Zipper front. Meets ANSI / ISEA 107-2010 Class 2 standard. **M-5X**

75-3201 Yellow. **M-5X**
75-3202 Orange. **M-5X**

75-3231 Yellow. With two added outside pockets. **M-5X**



75-3203 / 75-3204

High visibility yellow polyester mesh fabric is excellent for warm days or indoor applications requiring added visibility. Velcro front. Meets ANSI / ISEA 107-2010 Class 2 standard. **M-5X**

75-3203 Yellow. **M-5X**
75-3204 Orange. **M-5X**



75-3207 / 75-3208

High visibility yellow mesh fabric designed for tough duty and long lasting wear. All fabric edges are reinforced with heavy trim. Heavy-duty snap front, eight pockets, Velcro and grommets for attaching tools. Rear pocket for plans or large size documents. Includes ID badge pocket. Meets ANSI / ISEA 107-2010 Class 2 standard. **M-5X**

75-3207 Yellow. **M-5X**
75-3208 Orange. **M-5X**



75-3205 / 75-3206

High visibility yellow polyester mesh fabric is excellent for warm days or indoor applications requiring added visibility. Features a five-point breakaway system, for protection in case the vest is caught in machinery. Meets ANSI / ISEA 107-2010 Class 2 standard. **M-5X**

75-3205 Yellow. **M-5X**
75-3206 Orange. **M-5X**



75-3209 / 75-3211

High visibility yellow polyester mesh fabric. Zipper or Velcro closure. DOT striping. Six pockets, two chest and four on the waist. Radio tabs. Meets ANSI / ISEA 107-2010 Class 2 standard. **M-5X**

75-3209 Zipper closure. **M-5X**
75-3211 Velcro closure. **M-5X**



75-3215

Great vest to wear over heavier clothing. Zipper front. DOT striping. One inside chest pocket for a radio and two inside waist pockets. Velcro adjustable sides. Meets ANSI / ISEA 107-2010 Class 2 standard. **M-6X**



PROTECTIVE CLOTHING

HIGH VISIBILITY—VESTS: CLASS 3, ACCESSORIES



75-3325

Two-tone ANSI Class 3 vest with d-ring pass thru. Vest also features high visibility piping around the edges to give you an enhanced safety factor. Includes ID badge holder, four pen pockets, two waist pockets with Velcro closures and two radio mic tabs on the left and right chest. Meets ANSI / ISEA 107-2010 Class 3 standard. **M-5X**



75-3305 / 75-3306

Five-point high visibility yellow mesh vest. Features Velcro breakaway points that allow the vest to be pulled off at the sides, shoulders or front for protection in case the vest is caught in machinery. ID badge holder, four pen pockets with radio pocket, and a radio tab on the left chest. Two waist flap pockets and zipper closure. DOT (Department of Transportation) striping. Meets ANSI / ISEA 107-2010 Class 3 standard. **M-5X**

75-3305 Yellow. **M-5X**
75-3306 Orange. **M-5X**



75-3301 / 75-3302

High visibility yellow polyester mesh fabric, excellent for warm days. Zipper front, DOT reflective stripes, two radio pockets that also have an ID badge display. Also has pen pockets and generous waist pockets. Zipper on the sides allow for relief from binding while sitting down. Meets ANSI / ISEA 107-2010 Class 3 standard. **M-5X**

75-3301 Yellow. **M-5X**
75-3302 Orange. **M-5X**



75-3307 / 75-3308

High visibility yellow mesh fabric designed for tough duty and long lasting wear. All fabric edges are reinforced with heavy trim. Heavy duty snap front, eight pockets, Velcro. Grommets for attaching tools. Rear pocket for plans or large size documents. Includes ID badge pocket. Meets ANSI / ISEA 107-2010 Class 3 standard. **M-5X**

75-3307 Yellow. **M-5X**
75-3308 Orange. **M-5X**





75-2501

Lightweight yellow mesh pant with DOT striping. Drawstring waist with pass thru pockets and elastic at the ankles. Meets ANSI Class E requirements. When paired with an ANSI Class 2 garment, the whole ensemble becomes Class 3. **S(S-M), L(L-XL), 2X(2X-3X), 4X(4X and up)**



75-2391 / 75-2392

GAITERS. Increase day and night visibility while protecting pants and boots. **One size fits all.**

75-2391 Yellow. **One size fits all.**

75-2392 Orange. **One size fits all.**



75-8201 / 75-8202

Acrylic beanie designed to keep head and ears warm on a cold day. Includes reflective striping that is stitched in and cannot be washed out. **One size fits all.**

75-8201 Yellow. **One size fits all.**

75-8202 Orange. **One size fits all.**

Breaking down the different classes

In order to receive a rating of a class 2 or class 3 safety apparel, it must achieve preset requirements set by the American National Standards Institute, or ANSI. These requirements include the amount of necessary reflective material, the amount of background material, and whether or not the garment has sleeves.

Safety classifications were designed to help regulate the required apparel needed by state workers. ANSI clothing is necessary in areas of high speed traffic and when workers are near heavy machinery. If you are purchasing one for yourself personally, there is no law requiring you to wear a certain class. It is always a good idea, however, to consider purchasing one with a rating of class 2 or class 3, as it will provide more visibility than one with an economy rating.



Class 2—This reflective clothing is required for workers who are near heavy machinery or near traffic between the speeds of 25-50 mph. ANSI designates that all class 2 garments must have 201 square inches of retro-reflective material, with 1.375 inch reflective striping. They must also have 775 square inches of background material and are sleeveless.



Class 3—This reflective clothing gives the user higher visibility than that of class 2. They have sleeves, 310 square inches of reflective material with 2 inch striping, and 1240 square inches of background material. Those rated Class 3 are required for workers near traffic in excess of 50 mph.



Economy Class Vests—Some companies use this term economy to denote a vest as cheap or inexpensive, while some others use the term to describe one that does not meet the ANSI requirements of class 2 or 3. It is important to check the description for clarification.



75-3003 / 75-3004

Economical polyester mesh vest. 1" silver reflective striping. Velcro front closure. **One size fits most.** *(This item is designed for sight safety only. It meets no ANSI standards.)

75-3003 Yellow. **One size fits most.**

75-3004 Orange. **One size fits most.**



PROTECTIVE CLOTHING

VISIBILITY—SITE SAFETY



Site Safety Apparel

Site safety apparel does not meet the rigorous standards of ANSI for visibility. What site safety apparel is designed to do is to provide comfort and wear ability while still providing higher degrees of visibility than normal clothing. Areas where site safety apparel can be used: construction sights, recycling plants and areas where there is plant traffic, but not at higher speeds. Talk with your onsite safety professional to see if site safety apparel is right for your application.

Majestic has introduced a full line of site safety in different weights and make up of fabric. Please read on to find just the right garment for you.

Another way Majestic makes things easy for you, is personalization. All of these garments can be personalized with striping and logos. Read more about personalization in the later pages of this catalog or please contact your Majestic sales representative to find out more.



75-5003

Premium yellow birdseye mesh short sleeve t-shirt. Outstanding wicking ability, helps you stay cool on the job. ***For site safety only, meets no ANSI standard. S-7X**

75-5004 Orange. S-7X



75-5045

Deluxe yellow birdseye mesh long sleeve t-shirt with chest pocket. Outstanding wicking ability, helps you stay cool on the job. ***For site safety only, meets no ANSI standard. S-7X**

75-5046 Orange. S-7X





75-5011

Premium yellow birdseye mesh short sleeve t-shirt. Three horizontal contrasting stripes. Outstanding wicking ability, helps you stay cool on the job. ***For site safety only, meets no ANSI standard. S-7X**

75-5012 Orange. S-7X

**NON
ANSI**



75-5013

Bright yellow 50/50 cotton poly short sleeve t-shirt. Three horizontal contrasting stripes. ***For site safety only, meets no ANSI standard. S-7X**

75-5014 Orange. M-7X

75-5015 Royal Blue. M-7X

75-5016 Pink. M-7X

**NON
ANSI**



75-5023

Bright yellow 50/50 cotton poly short sleeve t-shirt with chest pocket. Three horizontal contrasting stripes. ***For site safety only, meets no ANSI standard. S-7X**

75-5024 Orange. M-7X

75-5025 Royal Blue. M-7X

75-5026 Pink. M-7X

**NON
ANSI**



75-5065

Premium yellow birdseye mesh long sleeve t-shirt with chest pocket. Three horizontal contrasting stripes. Outstanding wicking ability, helps you stay cool on the job. ***For site safety only, meets no ANSI standard. S-7X**

75-5066 Orange. S-7X

**NON
ANSI**



75-5067

Bright yellow 50/50 cotton poly long sleeve t-shirt with chest pocket. Three horizontal contrasting stripes. ***For site safety only, meets no ANSI standard. S-7X**

75-5068 Orange. M-7X

**NON
ANSI**



75-5075

Bright yellow 50/50 cotton poly long sleeve, hooded sweatshirt with waist pocket. Three horizontal contrasting stripes. ***For site safety only, meets no ANSI standard. S-7X**

75-5076 Orange. M-7X

**NON
ANSI**

PROTECTIVE CLOTHING

HIGH VISIBILITY—SIOEN



Allied with one of the World's
Foremost Manufacturers

SIOEN

We are proud to offer you SIOEN® protective clothing, the very best available for technical performance, comfort and design. SIOEN®'S experience in coating and the manufacturing of protective wear dates back forty years, but their ongoing focus is the future of advanced protective wear. As one of the world's leaders in fabric and garment manufacturing technology, SIOEN® has developed many advancements in protective wear. Flexothane® is a revolutionary polyurethane coated knit fabric with unsurpassed elasticity and tear resistance—the ultimate in comfort and protection.

Flexothane® is:

- Waterproof
- Windproof
- Cold-resistant
- Noiseless
- Supple
- Breathable
- Lightweight
- Hygienic
- 150% Stretchable
- Extremely Tear-resistant
- Machine Washable

The results of SIOEN®'S commitment to research and development are here for you to experience with confidence: state-of-the-art clothing for industrial safety, high visibility, chemical protection and flame retardant protection. SIOEN® is widely used in the agricultural, marine safety and industrial fishing industries as well as for corporate identity clothing. Flexothane® is a registered trademark of SIOEN® Belgium.



73720

ANSI Class 3 Flexothane® high visibility jacket, unlined for high visibility, select this fluorescent jacket. Raglan shoulder design, with snaps for adjustment at the wrist. Snap-and-zip closure front, underarm ventilation and reflective 3M® stripes. Coordinating waist pant item 76580. (Color choices below.)

73720FO Fluorescent Orange. **S-3X**
73720FY Fluorescent Yellow. **S-5X**



76580

Pant

ANSI Class 3 Flexothane® high visibility waist pant. Unlined with elastic waist, no fly and adjustment snap at the ankle. Reflective Scotchlite® stripes. (Color choices below.)

76580FO Fluorescent Orange. **S-3X**
76580FY Fluorescent Yellow. **S-5X**



75429

Bibs

ANSI Class 3 Flexothane® high visibility bib trouser. Inside pocket, fly with snap closure, elastic back. (Color choices below.)

75429FO Fluorescent Orange. **M-3X**
75429FY Fluorescent Yellow. **S-3X**





74335RY

FR Hi Visibility

ANSI Class 3 Flexothane® FR high visibility jacket*, 3M® Scotchlite® Class 3 type striping, unlined. Kimono sleeve to eliminate seams at shoulder with internal wind sock style elastic cuff. The back and underarms are vented. Snap-and-zip closure front, vented back and under arms. Fluorescent yellow only. **S-4X**



75429RY

Bibs

ANSI Class 3 Flexothane® high visibility bib trouser. Inside pocket, fly with snap closure, elastic back. Flame Resistant. Fluorescent Yellow. **S-4X**



78985NO

Karymsky

ANSI 107 Class 3 Flexothane® high visibility jacket with zip-out liner. Be sure to be seen in this high-tech Flexothane® jacket with 3M® Scotchlite® striping all around, stand-up collar and attached foldaway hood. Front closure features a zipper and storm flap with snaps. Two front pockets, plus inside pocket with Velcro closure. Blue fleece liner zips out on warmer days. A telephone/radio pocket with a zipper and flap on the right chest. Flap does not fully cover zipper to accommodate antenna. **S-3X**



77857FO

Fuego

ANSI 107 Class 3 Flexothane® high visibility jacket, winter lined. Removable sleeveless liner, foldaway hood, zipper front with snap closure, internal wind cuff sleeve and rain gutter bottom. 3M® Scotchlite® reflective striping. **M-4X**



PROTECTIVE CLOTHING

RAINWEAR—POLYURETHANE SIOEN / M-WEAR



74820

Jacket with Hood

All-season jacket is made from stretchable, lightweight Flexothane®. This basic jacket has a hood, raglan sleeves, two patch pockets, a concealed zipper, metal snaps on storm fly, elasticized sleeves with adjustable snaps and underarm ventilation for comfort. Flexothane® can be worn and folded daily without losing its shape. Three color choices.

- 74820B** Royal Blue. **S-3X**
- 74820G** Forest Green. **S-3X**
- 74820GA** M-Wear Forest Green. **S-6X**
- 74820Y** Yellow. **S-6X**
- 74820YA** M-Wear Fluorescent Yellow. **S-6X**



74500

Waist Pant

Flexothane® pants have elastic waist, no fly and feature adjustment snaps at the ankle. Three color choices.

- 74500B** Royal Blue. **S-3X**
- 74500G** Forest Green. **S-3X**
- 74500GA** M-Wear Forest Green. **S-6X**
- 74500Y** Yellow. **S-3X**
- 74500YA** M-Wear Fluorescent Yellow. **S-6X**



74600

Bib Overalls

Made with high-tech Flexothane® material. Bib has adjustable elastic suspenders and no fly. Matches jacket 74820. Three color choices.

- 74600B** Royal Blue. **S-3X**
- 74600G** Forest Green. **S-3X**
- 74600GA** M-Wear Forest Green. **S-6X**
- 74600Y** Yellow. **S-6X**
- 74600YA** M-Wear Fluorescent Yellow. **S-6X**



78178B

Apron

Polyurethane apron, 35" x 45". Blue. **One size fits all.**



74964

Coverall

Traditional coverall made with lightweight, flexible Flexothane®. Attached hood. Front zipper protected by double storm flap that closes with blind metal snaps. Elastic in back for comfort, and raglan sleeves with built-in windcuffs at the wrist. Adjustable ankle snaps.

74964G Forest Green. **S-3X**

74964Y Yellow. **S-3X**

74964H Orange. **S-3X**



74990

Lined coverall. Designed to be warm all day. Unrestricted movement without the bulkiness of a typical suit allows you to concentrate on your work. Features include a quilted lining, foldaway hood in the collar, two breast and two leg pockets with Velcro flaps, concealed zip fastening, elasticized back, and heavy-duty zippered side legs for maximum comfort.

74990NB Navy Blue/Royal Blue. **S-3X**

74990NR Navy Blue/Red. **S-3X**



74899

Quilted, lined jacket. High-tech Flexothane® with a high degree of wind and cold protection is the choice for those who work outdoors. Jacket features a stand-up collar with attached foldaway hood, zippered front with storm flap and snaps, two front pockets with flap and Velcro closure, and two slanting breast pockets.

74899NG Navy Blue/Green. **S-3X**

74899NB Navy Blue/Royal Blue. **S-3X**

74899NR Navy Blue/Red. **S-3X**



PROTECTIVE CLOTHING

RAINWEAR



71-2000 / 71-2010 / 71-2040

Premium rain gear. Lightweight polyester with PVC coating provides comfortable waterproof windproof barrier. Attached hood and drawstring. Vented back and underarms. Zip front with internal storm flap. Front flap pockets. Elastic wind cuffs. Drawstring at waist. Fully taped and sealed seams. Elastic waist pants. Adjustable ankle snaps. Side slash reach thru pant pockets. Retail ready package with clear window. S-6X

71-2000 Green. S-6X

71-2010 Navy Blue. S-6X

71-2040 Bright Yellow. S-6X

(For deluxe product offering, see below)



71-1000 / 71-1010 / 71-1040

Deluxe Retail Packaging with convenient storage bag

All the features of above but with cardboard overlay and handy black mesh polyester storage bag with strap and cinch closure. Designed for deluxe retail appearance.

71-1000 Green. S-6X

71-1010 Navy Blue. S-6X

71-1040 Bright Yellow. S-6X



7007

Three-piece .35mm yellow PVC/poly rain suit includes bib overall, jacket and detachable hood. Jacket features a zipper and snap fly closure, vented cape back, underarm vents, reinforced stress points, corduroy collar and a generous full cut. Bibs include elastic suspenders, snap adjustable ankle and front fly. **S-7X**



7005

.24mm 2-ply yellow PVC with silver lining. 3-piece suit, same design as 7007. **S-4X**

7003 .20 mm suit. **S-4X**



7010

Three-piece .35mm green PVC/poly rain suit includes bib overall, jacket and detachable hood. Jacket features a zip and snap front closure, vented cape back and underarm vents, reinforced stress points, corduroy collar and a generous full cut. Bibs include elastic suspenders and front fly. **S-4X**



7020

.35mm PVC/poly 48" coat. Features a snap fly front closure, vented cape back, underarm vents, reinforced stress points, corduroy collar and a generous full cut. Detachable hood with drawstring. **S-4X**

M-Wear PVC Rain Suits

Represents quality and value. All rain suits include a detachable hood, bib overalls and jacket. They're built for comfort with elastic suspenders and vented underarms and cape vented back, plus reinforcement at every stress point for added wear. M-Wear's three suit styles and one jacket provide great choices for virtually every user.



PROTECTIVE CLOTHING

MCKINLEY



7105B

McKinley™ Jacket with Liner

7105B Blue body with black shoulders. **XS-6X**

7105BK Black body with black shoulders.

XS-6X



About McKinley™ Jackets

A true all-season work parka. The jacket shell is PVC coated polyester that is 100% waterproof and extremely durable for the roughest work conditions. Include the removable polar fleece non-pilling liner and the jacket is warm enough for extreme cold work environments down to -20 °F. Remove the liner or open any of the several ventilation zippers to be comfortable in warmer weather or higher levels of exertion. The fleece liner is designed to be worn by itself if the shell is not necessary. Available as a system that includes the jacket and fleece, or separately.



7101

McKinley™ Jacket Liner

Polar fleece non-pilling liner. (Sold separately.)

XS-6X



High-vis striping available by request

Add High Visibility!

All lined McKinley™ jackets can be ordered with high visibility striping. Although not ANSI compliant, the addition of reflective stripes makes the McKinley™ line even more versatile. Fire and rescue, police agencies and even parking lot attendants use McKinley™ high visibility jackets when work conditions demand the ultimate in warmth and the safety of reflective high visibility. The Star of Life, Maltese Cross and most any personalized artwork can be added to any lined McKinley™ jackets.

7105BH Blue. **XS-3X**

7105BKH Black. **XS-3X**



McKinley™ Jacket Features:



- Rugged construction
- Heavy polyester shell material
- Zip-out fleece liner
- Inside PVC coated polyester for 100% waterproof protection
- Waterproof taped seams
- Storm-fly zip front with Velcro closure
- Velcro adjustable wrist closure
- Ample zipper ventilation—across back, under arms, in front breast pockets
- 7 pockets
- Adjustable Velcro sleeves closure
- Lined collar—protects chin from liner zipper
- Built-in removable full function adjustable hood with bill, storm flap and drawstring closure to seal face
- Adjustable internal elastic cord system in waist, bottom, and hood



7110

Waterproof, fully lined McKinley™ pants. Extended zip sides so pants can be put on without removing boots. Elastic waist with snap side closure, and zipper fly. **XS-3X**



PROTECTIVE CLOTHING

MCKINLEY, BOOTS



McKinley™ Bomber Jackets

The newest additions to the McKinley™ clothing line are a bomber style jacket and vest. Both available in two color combinations; both styles are waterproof and fully lined. A knit elastic waist (jacket cuffs also), fleece collar, seven convenient pockets and a heavy-duty zipper with front flap are featured on both the jacket and vest.

McKinley™ Jacket Features:

- Rugged construction
- Heavy polyester shell material
- Inside PVC coated polyester for 100% waterproof protection
- Waterproof taped seams
- Storm-fly zip front with button closure
- 7 pockets

McKinley
System Jackets



7108BL

Blue waterproof McKinley™ jacket with black trim. S-6X



7108BR

Brown waterproof McKinley™ jacket with black trim. S-6X



7109BR

Brown waterproof McKinley™ vest with black trim. S-3X



7109BL

Blue waterproof McKinley™ vest with black trim. S-3X





8200

Our popular yellow slush boot is fabric lined for added comfort, easy on-off and features a top strap and buckle with bar-tread outsole for traction. The boot is 17" tall. **Over-the-shoe sizes 5-18.**



8201

Plain toe, black rubber knee boot with a comfortable fabric lining that assists with putting on and taking off. Features a steel shank for better support, and bar-tread outsole for traction. **Over-the-sock sizes 5-15.**

8202 Steel toe version. **Over-the-sock sizes 5-15.**



8202

Steel toe, black rubber knee boot with a comfortable fabric lining that assists with putting on and taking off. Features a steel shank for better support, reinforced toe cap and bar-tread outsole for traction. Meets ANSI Z41 PT91, M1/75 C/75. **Over-the-sock sizes 5-15.**



8203

The popular black rubber, five buckle boot. Fabric lined for comfort and easy on-off with a bar-tread outsole that improves traction and wear. **Over-the-shoe sizes 6-16.**



8210

Yellow rubber hazmat overshoe boot. Grit textured sole. **S-XXL**



8220

Premium quality black PVC provides excellent resistance to chemicals and oils. Lined for easy on and off with a steel shank for support. Removable inner sole for comfort and hygiene. The steel safety toe style meets ANSI Z41 PT91, M 1/75 C/75 standards. **Over-the-sock sizes 6-13.**

8220 Plain toe. **Sizes 6-13.**

8221 Steel toe. **Sizes 6-13.**

PROTECTIVE CLOTHING

WELDING



6141

Bib Apron, 36"

6140 Waist apron, 24" x 24".

6141-42 Bib apron, 42".

6141-48 Bib apron, 48".

6150 Chaps, 40".

6180 Sleeves, 18".

6181 Sleeves, 23".

6200 Rod holder, double bottom.

6201 Cable cover, 12".



6100

Cape Sleeve

Premium cape sleeve of highest quality side split cowhide and tanned with Heatshield, a special treatment to make leather fire retardant, for added protection from spark. Grain cowhide collar helps prevent neck abrasion, and raglan shoulder design ensures a comfortable fit. All seams are double-stitched Kevlar and snaps are double reinforced to prevent pull through. **S-3X**

Style variations and other Kevlar sewn welders clothing below.

6400 Cape sleeve, economy. **S-2X**

6414 Bib, economy, 14" (for item 6400).

6420 Bib, economy, 20" (for item 6400).

6114 Cape sleeve bib, 14".

6120 Premium bib, 20".





A Majestic exclusive, "Heatshield" is specially treated, retardant leather (side split only).



6142

Split Leg Apron

Premium quality, split leg apron in 42" length. Tanned with Heatshield, a special treatment to make leather fire retardant, this side split cowhide apron provides exceptional protection for the professional welder. Featuring a front pocket, adjustable sizing straps, and quick-release buckles, the suit is designed for comfort as well as long wear and durability. Kevlar sewn.

6148 48" apron.



6030

Coat

Premium quality split cowhide tanned with Heatshield, a special treatment to make leather fire retardant, for additional fire protection from welding spark. Kevlar double-stitched seams and riveted stress points for longer wear. Raglan shoulder design for comfort and adjustable neck strap for added protection. 30" length (mid-thigh). **S-4X**

6026 Premium quality jacket, 26" length. **S-2X**

6426 Economy jacket, traditional design, 26" length. **S-2X**

6430 Economy coat, traditional design, 30" length. **S-2X**



Majestic makes it easy to merchandise your products.

We can attach a retail hangtag to virtually any style of glove, boot or garment. In addition to the Majestic tag you see here, custom tags with complete tag development and printing services are available. A UPC code is included on every tag and special customer item numbers are no problem. Just ask. We can also help with “promo packaging” of work gloves to stimulate customer interest. Styles such as brown jerseys can be sold in three pair packs banded with a single hangtag. Typically placed in a dump bin, on an end cap display or in their own in-out promotional display, banded gloves present a tremendous opportunity to provide customer convenience and to drive sales.

The Majestic production department has mastered the art of branding and stamping a wide variety of work gloves. Personalized identification can be placed on a glove using heat-applied transfer tape, ink stamping or by actually branding a logo or slogan onto the back of a glove. Logos can also be heat-transfer applied to jackets. The Majestic graphics department can assist in developing the artwork for this personalized service.

Merchandising capabilities

Tagging: A header card added to the product, including item number, description, and UPC number.

Options: Our tag, your customized tag or an anonymous tag. From our description, item, UPC to all your information.

Printing on product: Branding a product with a corporate identity/customer logo, safety message, special occasion, etc. This can be accomplished in many different ways from one color to multi-color on gloves, clothing and boots. Please view the associated pictures descriptions on the following pages:

- Branding—Pg. 116
- Rubber stamp/Ink transfer—Pg. 116
- Spot color heat transfer—Pg. 116
- Full color heat transfer—Pg. 117
- Rubber logos—Pg. 117
- High visibility heat transfer decal—Pg. 118
- Screen Printing—Pg. 118
- Embroidery—Pg. 119
- Embroidered Patch—Pg. 119

Display:

- Metal Rack
- Floor dump bins
- Counter displays

Other:

- Stapling
- Special packaging needs
- Banding (3 pair promotional pack)



8040



8050



8051



RackSP

Custom Tags



Floor Display:

Majestic helps you get the most out of promotional work gloves. Six displays are available that can be tailored to meet your specific needs.

- 8040** Ten-pocket Glove Rolls.
- 8050** Rolling Duffel Bag with extendable handle.
- 8051** Rolling Duffel Bag with extendable handle and Majestic embroidered logo.
- T07** 4 pin counter display that can merchandise about 24 pairs.
- T08** Smaller floor unit, holds 72 pairs.
- T15** Cardboard shipper style display with six, 6" pins.
- Rack20** Free standing metal 20 pin rack, black, 70"h x 26"w x 18"d. Great for end cap.
- Rack30** Free standing metal 30 pin rack, black, 70"h x 38"w x 18"d. Great for end cap.
- RackSP** Free standing 20 pin spinner rack.

See website for additional details about branding capabilities and restrictions. www.majesticglove.com/services

Other Services from Majestic:

Majestic can also assist you with other special needs such as size stamping, stapling pairs, attaching hanger hooks, and splitting pairs into left and right hand gloves. If you have unusual packaging or shipping requirements, just ask your customer service representative.

Standardized Product Labeling:

No additional effort required to receive our product into bar coded warehouse facilities. Everything we ship in full case quantities is labeled with bar code and all other pertinent information, by case pack and inner pack unit of measure.



EDI (Electronic Data Interchange):

Majestic is capable of EDI, contact us for further details.

Display headers can be custom designed.



RACK 20



T07



T08



T15

Branding

Branding is a hot die stamp that burns and embosses an image into the surface of leather. It is a simple and economic option to personalize grain leather. There is a 10 dozen minimum for all first orders.



Ink Transfer

Ink stamping is a hot stamp used to transfer a one color image from ink tape. Like branding, this is a simple and economic option to personalize split leather and textiles. There is a 10 dozen minimum for all first orders.



Spot Color Heat Transfer

A spot color logo is applied with heat to the glove. This process is regarded as our highest quality and best looking personalization process for gloves. Unlike our full color logo, only the image is applied and no contour lines or border is needed. This option is only available when future orders within a year total 300 dozen or more gloves and is restricted to spot color.*



Full Color Heat Transfers

Like the spot color logo process, the full color heat transfers are applied to the glove or jacket with heat. Unlike spot color, as the name implies, the full color heat transfers are full color*, meaning there are no restrictions such as shading or color blends, making even a photograph possible. With a 10 dozen glove, or one garment minimum, this is a convenient option for smaller orders where a color logo or message is wanted. The only restriction is that the logo must have a border or contour line such as those shown above.

Also available is the option to have anyone of our garments personalized with an employee name.



Rubber Logo

Rubber logos provide a visually appealing dimension to customization. They have excellent detail and clarity with raised letters in bold colors. Minimum quantities are required and vary by style.



High Visibility Heat Transfer Decal

We are able to heat apply a fully custom 3M reflective logo to any of our garments. This is not only a great looking option, but enhances visibility in most situations. This particular 3M reflective material is regarded as the leader of retro reflective material and complies fully with the American National Standard for High-Visibility Safety Apparel and Headwear ANSI/ ISEA 107-2010 standard. There is a minimum order of one garment.



Screen Printing

Screen printing is the process of applying ink to a garment. Screen printing is restricted by the amount of colors in the logo, but is very economical option to personalizing logos, particularly in larger quantities.




Majestic Glove now has the ability to do in house screen printing. This dramatically decreases the timeframe to produce customized apparel.



Embroidered Patch

Our embroidered patches are heat applied, preserving the waterproof benefit of the garment, making this an ideal option for those who want the premium embroidery look while still maintaining the integrity of the jacket. With minimum orders of twenty garments this is an outstanding option. Please contact your Majestic distributor as the logo is very important to determine capability and costs.



Embroidery

Majestic can also embroider garments using the traditional embroidery process. Before deciding, please keep in mind, many of our garments have a waterproof barrier that can be damaged during the embroidery process. Please confirm with your distributor before making the final decision.

What we need from you:

All logos submitted must be: Vector image* in .EPS, .AI, or .PDF format. For personalized full color heat decals, a very high quality 300DPI file is required at the desired size or larger OR Majestic can re-create the logo for an additional charge.

Definitions:

Spot Color: Are pre-mixed inks. For example, to print a red, green and black apple, red, green and black spot color inks are used.

Full Color: With the full color or CMYK process, to print ANY color image, cyan, magenta, yellow and black inks are overlapped to achieve the full color spectrum.

***Vector Image:** A vector image is made up of points lines, curves, and shapes, made up or filled in with colors. A bitmap image is made up of an array of pixels often used in photographic images.





BlazeTEX

Comfortable FR Clothing, it's what people are asking for. With so much of the same old garments out there, BlazeTEX by Majestic offers some of the most comfortable and innovative garments available.



FireZerO®

FireZerO® is the industry leading brand of flame resistant fabrics and garments that employees wear for body burn protection in the event of a flash fire. The oil and gas, utility, electrical, contractor, and petrochemical industry sectors prefer FireZerO® to protect their employees, their most important asset.

Our fabrics and garments are manufactured to rigid specifications, such that our quality is unsurpassed. The fabric, a 90% cotton 10% nylon blend, is rugged, durable and handsome. Our twill finish combined with expert tailoring offers the customer a fine garment built to their exact requirements. Vivid, consistent colors enhance the garment's visibility and appearance.

All of our products undergo continuous testing at both the factory and at independent labs. Every fabric run is tested to meet industry standards.

Our garments are tailored and manufactured at dedicated factories under the supervision of experienced quality control professionals. We produce the full range of insulated and non-insulated garments for year-round weather conditions, including our "extreme" line up of products built for very harsh cold climates. Coveralls, bibs, pants, shirts, jeans, parkas, and jackets represent the majority of the products. Most of our customers use company identification and logos combined with individual employee identification. Many art sensitive patterns are transferred onto the garments by our experts.

FireZerO® garments represent the best value in FR protection in the industry and are designed to meet the needs of workers in utility, electrical, oil, gas and petrochemical industries.

FireZerO®



“QUALITY NEEDLE!”

Majestic Glove is passionate about our quality control and customer service. Our manufacturer produces certified fabrics from premium cotton fibers combined with high tensile strength nylon. The finished yarns are then woven into the base fabric according to very stringent weaving specifications. Following continuous testing processes, the base BlazeTEX/FireZero® fabric are dyed and FR treated. Rigorous testing of each section of the finished goods is conducted at an independent laboratory with verifiable test reports. Subsequently, Majestic builds BlazeTEX/FireZero® garments at a dedicated factory to meet the exact requirements of our customers. Try us and you will see, we mean quality, hence our motto “Quality Needle!”.



Ask your Majestic Representative for our full line BlazeTEX catalog.



INDEX

1500K	15	1535	33	1801	27, 31
1501A	28	1537	11	1801DP	27, 31
1501G	31	1539	10	1820	27
1506	33, 84	1540	32	1821	27
1507	14	1540T	32	1822	27
1508B	33	1541	10, 84	1823	27
1508F	33	1541B	10	1824	27
1509	16	1542	32	1830	27
1509B	17	1542T	32	1831	27
1509BCK	17	1543	11	1900	83
1509K	17	1544T	17, 32	1901	83
1510	8	1546T	17, 32	1904	83
1510B	9, 84	1547	10	1905	83
1510BA	8	1548	34	1950	15, 76
1510BAK	8	1548BLK	34	1951	34, 76
1510BCK	13	1549	11	1954	28, 76
1510G	8	1549D	11	1954T	28, 38, 76
1510K	8	1550	16	1960	77
1510P	13	1551	15	1961	77
1510PB	13	1553	11	2100	80
1510PK	12	1554B	12	2101	80
1510W	9	1554HVO	13, 76	2101LHO	80
1511	33	1554HVY	13, 76	2105	82
1511BLK	34	1554K	13	2120	20
1511P	33	1554KV	12, 71	2121	24
1511PB	33	1555	13	2122	24
1511PT	33	1556	12	2123	20, 83
1511T	33	1558	13	2123HVY	24, 79, 83
1512	14, 84	1562	10	2123HYK	24, 71, 79
1512B	14	1563T	10, 32	21242HO	25, 79
1512P	13	1564	11	21242HY	25, 79
1512R	14	1564D	11	21243HO	25, 79
1512RK	17	1565	11	21243HY	25, 79
1513	33	1566	13	21245HO	25, 71, 79
1513T	33	1567	11	21245HY	25, 71, 79
1514	81	1569	11, 82	21247HO	25, 36, 79
1514BL	80	1570	84	21247HY	25, 36, 79
1514BLT	80	1571	84	21252HO	25
1514GR	81	1572	34	2126BK	24
1514S	81	1600	39	2127HY	25, 78
1516A	83	1600TW	39	2130BK	21
1516E	83	1600W	39	2130BL	21
1517	83	1602	39	2130G	21
1520	38	1604	39	2130R	21
1521	38	1610	39	2136BK	23
1522	31	1612	39	2136BKF	37
1524	29	1635	38	2136BKH	37
1524G	31	1636	38	2136BKT	37
1525F	63	1640	38	2136BL	23
1525I	63	1655T	33	2136C1	23
1532	14	1660	33	2136HO	23, 78
1532B	15	1661	10	2136HY	23, 78
1532BP	15	1662	32	2136R	23
1533	14	1663	34	2137BK	23
1533B	15	1664	34	2137BKF	37
1533GS	14	1665	34	2137BKH	37
1534	33	1666	34, 85	2137BKT	37
		1800	27	2137BL	23
		1800DP	27	2137HO	23, 78

2137HY	23, 78	2514BL	80	3228D	53	3358	45
2137R	23	2514BLH	80	3228F	53	3359	45
2139BK	22	2514BLT	80	3228HVY	53, 77	3359Y	44
2139BKH	37	2514BRH	80	3228HYT	77	3360	45
2140	19	2514C	81	3228K	53	3360G	44
2145BKH	37	2514CLHO	81	3228KD	53	3360J	45
2145HOH	37, 79	2514LHO	81	3229	53	3360R	45
2145HYH	37, 79	2514RHO	81	3229HVY	53, 77	3360RJ	45
2148	18	3110	69	3230	56	3361	45
2149	18	3110F	69	3237	52	3361CJ	45
2150	18, 85	3110P	69	3240	47	3361J	45
2150DP	19	3111	69	3245	47	3361Y	44
2150GR	19	3117	69	3247	47	3362	45
2150H	35	3118	69	3248	47	3362G	44
2151	18	3118P	69	3249	47	3362J	45
2151H	35	3119	69	3260	55	3362R	45
2152	21, 85	3144-14	68	3261	55	3362RJ	45
2152D	21	3144-14TH	68	3265	85	3363	45
2152HV	21, 78	3144-18	68	3266	85	3363CJ	45
2152T	35	3144-18TH	68	3267	85	3363J	45
2152THV	35, 78	3144-24	68	3270	55, 85	3363Y	44
2152TW	21, 35	3144-24TH	68	3270NL	55	3364	45
2153	19, 85	3145-14TH	68	3273	48	3364G	44
2153D	19	3145-16	68	3274	48	3364J	45
2153T	35	3145-16TH	68	3275	49	3364R	45
2154	20	3145-18	68	3275BG	51	3364RJ	45
2160	21	3145-18TH	68	3275BKT	51	3365	45
2160T	35	3145-24	68	3275SB	49	3365J	45
2163	25, 83	3145-24TH	68	3276	49	3367	45
2163NL	25, 83	3147-14	67	3276BG	51	3368	54
2164	25, 83	3147-14TH	67	3276BK	49	3368HVY	54, 77
2180	36	3147-16	67	3276BKT	51	3369	54
2200	39	3147-16TH	67	3277	49	3370	43
2500	30	3147-18	67	3277BG	51	3370G	43
2501	28	3147-18TH	67	3277BKT	51	3371	43
2501C	28	3147-24	67	3278	49	3371C	43
2501CBL	28	3147-24TH	67	3278BG	51	3371G	43
2501CDP	27, 76	3150-18TH	67	3278BKT	51	3374	43
2501CDY	27, 76	3150-18THP	67	3279	49	3375	43
2501CY	30	3170	68	3280	48	3377	54
2501G	31	3173	68	3282	49	3377NL	54
2501Y	30	3173DL	68	3282BG	51	3378	54
2502P	29	3173DR	68	3282BKT	51	3379	57
2503	15	3176	68	3300IF	47	3380	57
2505	9	3200	59	33-1400	71	3381	57
2505B	9	3200R	59	33-1450	70	3382	57
2505F	9	3201	59	33-1462	70	3384	56
2510	9	3202	59	33-1465	70	3385	56
2510B	9	3202R	59	33-1467	70	3385A	57
2510HVO	8, 76	3203	59	33-2401	71	3385RG	56
2510KV	9, 71	3203R	59	3350	47	3385W	56
2510P	13	3210	59	3351	47	3386	56, 69
2511	33	3213	59	3352	47	3387	69
2513	33	3215	55	3353	47	3388	41, 56
2513T	33	3218	47	3355	47	3388BK	41
2514A	81	3225	55	3357	45	3389	58
2514AB	81	3226	55	3357J	45	3390	58
2514AS	81	3227	55, 69	3357R	45	3391	58
2514BBLT	80	3228	53	3357RJ	45	3392	58

3395	47	3418	51	3704A	44	7020	107
3396BK	41	3418BG	51	3706	44	7101	108
3396HO	41, 77	3418BKT	51	3804	63	7105B	108
3396HON	41	3421	61	3804G	62	7105BH	109
3396HY	41, 77	3422	40	3805	63	7105BK	108
3396HYN	41	3422P	40, 85	3805G	62	7105BKH	109
3397HO	57, 77	3423	40	3806W	62	7108BL	110
3397HON	57	3424	40	3806WB	62	7108BR	110
3397HY	57, 77	3425	40	3809G	62	7109BL	110
3397HYN	57	34-2510	66	3815	63	7109BR	110
3400	61	34-2511	66	3825	63	7110	109
3401	61	34-2530	66	3829G	63	71-1000	106
3401B	61	34-2531	66	3909W	62	71-1010	106
3401BR	61	34-2570	66	3926HVO	63	71-1040	106
3401D	61	34-2571	66	4001	46	71-2000	106
3401R	61	3426	40	4002	46	71-2010	106
3402	61	3427	40	4003	46	71-2040	106
3403EL	62	3428	40	4004	46	73720	102
3403MC	62	3430	41	4005	46	73720FO	102
3403MCH	62	3430B	41	4006	46	73720FY	102
3405	60	3433	55	4055	47	74-101	89
3405-10	60	3433A	55	4072	46	74-1010	88
3405G	60	3434	55	4073	46	74-102	89
3405HV	60	3435	64	4500	29	74-103	89
3405HV12	60	3435N	64	4501C	29	74-201	89
3406	61	3435NHO	65, 77	4501CBL	29	74-201F	88
3406G	61	3435NHY	65, 77	4501CDP	27	74-202	89
3406NK	61	3437	64	4501Y	30	74-202F	88
3406NO	61	3437FN	64	4502CDP	27	74-203	89
3407	61	3441	63	4502DPG	27, 31	74-203F	88
3407F	61	3442	63	4503CDP	27	74-301	89
3408	61	3443	63	4700	85	74-302	89
3408G	61	3445	63	51-290	52	74-303	89
3408GR	61	3450	60	51-295	52	74335RY	103
3409	61	3451	60	6026	113	74-401	88
3410	61	3452	60	6030	113	74-402	88
3410G	61	3452HV	60	6100	112	74500	104
3410GR	61	3453	60, 61	6114	112	74500B	104
3411	51	3454	60	6120	112	74500G	104
3411B	51	3454L	60	6140	112	74500GA	104
3411PF	51	3454O	60	6141	112	74500Y	104
3413	50	3459	61	6141-42	112	74500YA	104
34-1300	65	3460	61	6141-48	112	74-521	88
34-1305	65	3461	61	6142	113	74-524	88
34-1350	65	3461G	61	6148	113	74-540	88
34-1360	65	3465	61	6150	112	74600	104
34-1365	65	3500	29	6180	112	74600B	104
3413BG	51	3500R	29	6181	112	74600G	104
3413BKT	51	3501C	29	6200	112	74600GA	104
3414	50	3501E	29	6201	112	74600Y	104
3415	50	3501G	31	6400	112	74600YA	104
34-1500	65	3502C	29	6414	112	74-618	89
34-1550	65	3502E	29	6420	112	74-625	89
34-1560	65	3503G	82	6426	113	74-650	89
34-1565	65	3504G	82	6430	113	74820	104
34-1570	41, 65	3506G	82	7003	107	74820B	104
3416	50	3507G	82	7005	107	74820G	104
3417	50	3702A	44	7007	107	74820GA	104
3417B	50	3703	42	7010	107	74820Y	104

74820YA	104	75-3283	96	78178B	104
74899	105	75-3284	96	78985NO	103
74899NB	105	75-3301	98	8040	115
74899NG	105	75-3302	98	8050	115
74899NR	105	75-3305	98	8051	115
74-900	86	75-3306	98	8200	111
74-905	87	75-3307	98	8201	111
74-906	87	75-3308	98	8202	111
74-910	87	75-3325	98	8203	111
74-911	87	75429	102	8210	111
74964	105	75429FO	102	8220	111
74964G	105	75429FY	102	8221	111
74964H	105	75429RY	103	A1B37	74
74964Y	105	75-5003	100	A1B37O	74
74990	105	75-5004	100	A1B37Y	74
74990NB	105	75-5011	101	A1P10P	75
74990NR	105	75-5012	101	A1P37	74
75-1300	90	75-5013	101	A1P37B	74
75-1301	90	75-5014	101	A1P37O	74
75-1302	90	75-5015	101	A1P37Y	74
75-1303	91	75-5016	101	A2B37	74
75-1304	91	75-5023	101	A2B37O	74
75-1305	92	75-5024	101	A2B37Y	74
75-1306	92	75-5025	101	A2P10P	75
75-1311	90	75-5026	101	A2P1800	75
75-1313	90	75-5045	100	A2P23HY	75
75-1331	91	75-5046	100	A2P37	74
75-1332	91	75-5065	101	A2P37B	74
75-1351	92	75-5066	101	A2P37O	74
75-1352	92	75-5067	101	A2P37Y	74
75-1381	91	75-5068	101	A2S42Y	25, 75, 79
75-1382	91	75-5075	101	A2S85N	75
75-2351	92	75-5076	101	A3B37	74
75-2352	92	75-5303	94	A3P37	74
75-2353	92	75-5304	94	A3P37B	74
75-2354	92	75-5305	94	A4B37	74
75-2391	99	75-5306	94	A4B37O	74
75-2392	99	75-5311	94	A4B37Y	74
75-2501	99	75-5312	94, 98	CSR-500	48
75-3003	99	75-5321	95	CSR-550	48
75-3004	99	75-5323	95	K3	26
75-3201	97	75-5325	95	K3GT	26
75-3202	97	75-5326	95	K4	27
75-3203	97	75-5327	95	K4G	27
75-3204	97	75-5328	95	K5	26
75-3205	97	75-5355	94	K5G	26
75-3206	97	75-5356	94	K5GS	26
75-3207	97	75-5381	95	K5GSR	26
75-3208	97	75-5382	95	K5U	26
75-3209	97	75-7301	93	Rack20	115
75-3211	97	75-7303	93	Rack30	115
75-3215	97	75-7351	93	RackSP	115
75-3221	96	75-7353	93	T07	115
75-3222	96	75-8201	99	T08	115
75-3223	96	75-8202	99	T15	115
75-3224	96	76580	102	USG-33	81
75-3225	96	76580FO	102	USG-33L	81
75-3226	96	76580FY	102	USG-33R	81
75-3231	97	77857FO	103	USG-52	38

CHEMICAL RESISTANCE GUIDE

Chemical & Concentration	Latex	Neoprene	Nitrile	PVC	Chemical & Concentration	Latex	Neoprene	Nitrile	PVC
Acedaldehyde, 99.5%	G	F	P	X	Isobutyl Alcohol, 99%	E	E	E	E
Acetic Acid	E	E	G	G	Iso-Octane, 99%	F	E	E	X
Acetone, 99%	E	E	X	X	Isopropyl Alcohol, 99+%	P	E	E	G
Acetonitrile, 99%	E	E	G	X	Kerosene, 100%	G	F	E	X
Acrylic Acid, 99%	G	G	F	*	Lactic Acid, 85%	E	E	G	G
Ammonium Flouride, 40%	E	E	G	E	Lauric Acid, 36%	E	E	E	F
Ammonium Hydroxide, 85%	E	E	X	E	Maleic Acid, Sat.	E	E	E	E
Amyl Acetate, 100%	X	X	E	F	Methyl Alcohol, 99+%	E	G	G	E
Amyl Alcohol, 99%	E	E	E	F	Methylamine, 40%	E	E	E	G
Aniline, 99+%	E	P	X	F	Methyl-Butyl Ether, 99.8%	X	X	E	*
Aqua Regia	X	E	E	G	Methyl Cellosolve, 99%	E	E	F	F
Benzaldehyde, 99.5%	P	X	X	X	Methyl Ethyl Ketone, 99+%	F	X	X	X
Bromopropionis Acid, Sat	E	E	E	*	Mineral Spirits, Rule66, 100%	X	E	E	X
Butyl Acetate, 99+%	X	X	F	X	Monoethanolamine, 99+%	E	E	E	E
Butyl Alcohol, 99%	E	E	E	E	Morpholine, 99%	G	P	X	P
Butyl Cellosolve, 99%	E	G	E	X	Muriatic Acid, 100%	E	E	E	E
Butyrolactone, 99+%	E	E	X	*	Naphtha VM&P 100%	X	G	E	X
Carbon Disulfide, 99.9%	X	X	F	X	N-Methyl-2-Pyrrolidone, 99+%	F	X	X	*
Carbon Tetrachloride, 99+%	X	X	E	F	Nitric Acid, 10%	E	E	E	E
Cellosolve Acetate, 99+%	G	F	G	X	Nitric Acid, 70%	X	E	X	F
Chromic Acid, 50%	X	X	E	G	Nitrobenzene, 99%	P	X	X	X
Citric Acid, 10%	E	G	E	E	Nitromethane, 99.5%	E	E	X	X
Cyclohexanol, 98%	E	E	E	E	Nitropropane, 99.5%	G	G	X	*
Diacetone Alcohol, 99%	P	E	E	F	Octyl Alcohol, 99+%	E	E	E	E
Dibutyl Phthalate, 99%	G	G	E	F	Oleic Acid, 99+%	E	E	E	G
Diethylamine, 99%	X	P	G	X	Oxalic Acid, 12.5%	E	E	E	E
Diisobutyl Ketone, 80%	P	P	E	G	Palmitic Acid, Sat.	E	E	E	G
Dimethyl Acetamide, 99+%	P	X	X	*	Pentachlorophenol, 35%	X	E	E	*
N.N-Dimethylformamide	G	F	X	X	Pentane, 98%	X	E	E	G
Dimethyl Sulfoxide, 99+%	E	E	G	X	Perchloric Acid, 60%	G	E	E	E
Diocyl Phthalate, 99%	P	G	G	*	Phenol, 90%	E	E	X	G
1,4-Dioxane, 99.9%	F	X	X	P	Phosphoric Acid, 85%	G	E	E	E
Epichlorohydrin, 99+%	F	P	X	*	Potassium Hydroxide, 50%	E	E	E	E
Ethyl Acetate, 99+%	G	G	X	X	Propyl Acetate, 99%	X	X	F	X
Ethyl Alcohol, 90+%	E	F	E	F	Propyl Alcohol, 96+%	E	E	E	F
Ethyl Ether, 99+%	F	G	E	E	Pyridine, 99%	F	X	X	*
Ethyl Glycol Ether, 99%	F	E	F	*	Rubber Solvent, 100%	X	G	E	X
Ethylene Glycol, 99+%	E	E	E	E	Sodium Hydroxide, 50%	E	E	G	E
Formaldehyde, 99%	E	E	E	G	Stoddard Solvent, 99%	X	G	E	F
Formic Acid, 95+%	E	E	P	E	Sulfuric Acid, 47%	X	E	G	E
Freon TF, 99+%	X	G	P	F	Sulfuric Acid, 95%	X	E	X	G
Furfural, 99%	E	F	X	X	Tannic Acid, 37.5%	E	G	E	E
Gasoline, White, 100%	X	X	E	F	1,1,2,2-Tetrachloroethane, 99%	X	X	X	*
Hexamethyldisilazine, 97%	E	E	E	*	Tetrachloroethylene, 100%	X	X	X	G
Hexane, 99+%	X	E	E	G	Toluene, 99+%	X	X	X	F
Hydrazine, 65%	E	E	E	E	1,1,1-Trichloroethane, 99%	X	X	X	*
Hydrochloric Acid, 10%	E	E	E	E	Tricresyl Phosphate, 90%	G	P	G	*
Hydrochloric Acid, 38%	E	E	E	E	Triethanolamine, 85%	E	F	G	E
Hydrofluoric Acid, 48%	E	E	G	E	Turpentine, 100%	X	X	E	X
Hydrogen Peroxide, 30%	E	E	E	E	Xylene, 99%	X	X	E	X
Hydroquinone, Sat.	E	E	E	E					

E Excellent
 G Good
 F Fair
 P Poor
 X Not Recommended
 * No Data

NOTE: Chart Intended as a Guide ONLY. The suitability of a product for a specific application must be determined and tested by the purchaser. Majestic Glove assumes no responsibility for the suitability of a purchasers selection of a product for a specific application.



Majestic Glove

2510 W. Casino Rd.
Everett, WA USA 98204
P: 425.407.1200 / 800.367.4568
F: 425.407.1030
E: sales@majesticglove.com
www.majesticglove.com

Majestic Products

Curieweg 19
3208 KJ Spijkenisse, Netherlands
P: 31.(0)181.475000
F: 31.(0)181.314777
E: info@majestic.nl
www.majestic.nl

Distributed By: